DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



MAGIC SPOT TRACK

MAZDA Model: MGXR27101 Track light

Magic Magnetic Led Track Spot Light with Low voltage DC48V magnetic track light is safe without Electric shock. It has an Aluminum adjustable ring changes the viewing angle. The installation of magnetic track system has several types which can meet different design requirements and is easy to install and move. This magnetic track light has the wide beam angle. Application areas: Retail, office, residential, hotels, restaurants, shopping mall, showroom home, shop etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
1	MAZDA-MGXR2710110W-3K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
2	MAZDA-MGXR2710110W-3K-AC240-WH-10VDIM-A40 X B100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
3	MAZDA-MGXR2710110W-3K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
4	MAZDA-MGXR2710110W-3K-AC240-BK-10VDIM-A40 X B100MM	10W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
5	MAZDA-MGXR2710110W-3K-AC240-WH-PH-EM-A40 X B100MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
6	MAZDA-MGXR2710110W-3K-AC240-WH-PH-A40 X B100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
7	MAZDA-MGXR2710110W-3K-AC240-BK-PH-EM-A40 X B100MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
8	MAZDA-MGXR2710110W-3K-AC240-BK-PH-A40 X B100MM	10W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
9	MAZDA-MGXR2710110W-3K-AC240-WH-DA-EM-A40 X B100MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
10	MAZDA-MGXR2710110W-3K-AC240-WH-DA-A40 X B100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
11	MAZDA-MGXR2710110W-3K-AC240-BK-DA-EM-A40 X B100MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
12	MAZDA-MGXR2710110W-3K-AC240-BK-DA-A40 X B100MM	10W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
13	MAZDA-MGXR2710110W-3K-AC240-WH-ND-EM-A40 X B100MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
14	MAZDA-MGXR2710110W-3K-AC240-WH-ND-A40 X B100MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
15	MAZDA-MGXR2710110W-3K-AC240-BK-ND-EM-A40 X B100MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
16	MAZDA-MGXR2710110W-3K-AC240-BK-ND-A40 X B100MM	10W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
17	MAZDA-MGXR2710110W-3K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
18	MAZDA-MGXR2710110W-3K-DC48-WH-10VDIM-A40 X B100MM	10W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM
19	MAZDA-MGXR2710110W-3K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	**MAZDA-MGXR2710110W-3K-DC48-BK-10VDIM-A40 X B100MM**	10W	3000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
21	**MAZDA-MGXR2710110W-3K-DC48-WH-PH-EM-A40 X B100MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
22	**MAZDA-MGXR2710110W-3K-DC48-WH-PH-A40 X B100MM**	10W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
23	**MAZDA-MGXR2710110W-3K-DC48-BK-PH-EM-A40 X B100MM**	10W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
24	**MAZDA-MGXR2710110W-3K-DC48-BK-PH-A40 X B100MM**	10W	3000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
25	**MAZDA-MGXR2710110W-3K-DC48-WH-DA-EM-A40 X B100MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
26	**MAZDA-MGXR2710110W-3K-DC48-WH-DA-A40 X B100MM**	10W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
27	**MAZDA-MGXR2710110W-3K-DC48-BK-DA-EM-A40 X B100MM**	10W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
28	**MAZDA-MGXR2710110W-3K-DC48-BK-DA-A40 X B100MM**	10W	3000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
29	**MAZDA-MGXR2710110W-3K-DC48-WH-ND-EM-A40 X B100MM**	10W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
30	**MAZDA-MGXR2710110W-3K-DC48-WH-ND-A40 X B100MM**	10W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
31	**MAZDA-MGXR2710110W-3K-DC48-BK-ND-EM-A40 X B100MM**	10W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
32	**MAZDA-MGXR2710110W-3K-DC48-BK-ND-A40 X B100MM**	10W	3000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
33	**MAZDA-MGXR2710110W-3K-DC24-WH-10VDIM-EM-A40 X B100MM**	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
34	**MAZDA-MGXR2710110W-3K-DC24-WH-10VDIM-A40 X B100MM**	10W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
35	**MAZDA-MGXR2710110W-3K-DC24-BK-10VDIM-EM-A40 X B100MM**	10W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
36	**MAZDA-MGXR2710110W-3K-DC24-BK-10VDIM-A40 X B100MM**	10W	3000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
37	**MAZDA-MGXR2710110W-3K-DC24-WH-PH-EM-A40 X B100MM**	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
38	**MAZDA-MGXR2710110W-3K-DC24-WH-PH-A40 X B100MM**	10W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
39	**MAZDA-MGXR2710110W-3K-DC24-BK-PH-EM-A40 X B100MM**	10W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
40	**MAZDA-MGXR2710110W-3K-DC24-BK-PH-A40 X B100MM**	10W	3000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
41	**MAZDA-MGXR2710110W-3K-DC24-WH-DA-EM-A40 X B100MM**	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
42	**MAZDA-MGXR2710110W-3K-DC24-WH-DA-A40 X B100MM**	10W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
43	**MAZDA-MGXR2710110W-3K-DC24-BK-DA-EM-A40 X B100MM**	10W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
44	**MAZDA-MGXR2710110W-3K-DC24-BK-DA-A40 X B100MM**	10W	3000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
45	**MAZDA-MGXR2710110W-3K-DC24-WH-ND-EM-A40 X B100MM**	10W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
46	**MAZDA-MGXR2710110W-3K-DC24-WH-ND-A40 X B100MM**	10W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
47	**MAZDA-MGXR2710110W-3K-DC24-BK-ND-EM-A40 X B100MM**	10W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
48	**MAZDA-MGXR2710110W-3K-DC24-BK-ND-A40 X B100MM**	10W	3000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
49	MAZDA-MGXR2710110W-3K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
50	MAZDA-MGXR2710110W-3K-DC12-WH-10VDIM-A40 X B100MM	10W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
51	MAZDA-MGXR2710110W-3K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
52	MAZDA-MGXR2710110W-3K-DC12-BK-10VDIM-A40 X B100MM	10W	3000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
53	MAZDA-MGXR2710110W-3K-DC12-WH-PH-EM-A40 X B100MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
54	MAZDA-MGXR2710110W-3K-DC12-WH-PH-A40 X B100MM	10W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
55	MAZDA-MGXR2710110W-3K-DC12-BK-PH-EM-A40 X B100MM	10W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
56	MAZDA-MGXR2710110W-3K-DC12-BK-PH-A40 X B100MM	10W	3000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
57	MAZDA-MGXR2710110W-3K-DC12-WH-DA-EM-A40 X B100MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
58	MAZDA-MGXR2710110W-3K-DC12-WH-DA-A40 X B100MM	10W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
59	MAZDA-MGXR2710110W-3K-DC12-BK-DA-EM-A40 X B100MM	10W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
60	MAZDA-MGXR2710110W-3K-DC12-BK-DA-A40 X B100MM	10W	3000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
61	MAZDA-MGXR2710110W-3K-DC12-WH-ND-EM-A40 X B100MM	10W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
62	MAZDA-MGXR2710110W-3K-DC12-WH-ND-A40 X B100MM	10W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
63	MAZDA-MGXR2710110W-3K-DC12-BK-ND-EM-A40 X B100MM	10W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
64	MAZDA-MGXR2710110W-3K-DC12-BK-ND-A40 X B100MM	10W	3000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
65	MAZDA-MGXR2710110W-4K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
66	MAZDA-MGXR2710110W-4K-AC240-WH-10VDIM-A40 X B100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
67	MAZDA-MGXR2710110W-4K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
68	MAZDA-MGXR2710110W-4K-AC240-BK-10VDIM-A40 X B100MM	10W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
69	MAZDA-MGXR2710110W-4K-AC240-WH-PH-EM-A40 X B100MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
70	MAZDA-MGXR2710110W-4K-AC240-WH-PH-A40 X B100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
71	MAZDA-MGXR2710110W-4K-AC240-BK-PH-EM-A40 X B100MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
72	MAZDA-MGXR2710110W-4K-AC240-BK-PH-A40 X B100MM	10W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
73	MAZDA-MGXR2710110W-4K-AC240-WH-DA-EM-A40 X B100MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
74	MAZDA-MGXR2710110W-4K-AC240-WH-DA-A40 X B100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
75	MAZDA-MGXR2710110W-4K-AC240-BK-DA-EM-A40 X B100MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
76	MAZDA-MGXR2710110W-4K-AC240-BK-DA-A40 X B100MM	10W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
77	MAZDA-MGXR2710110W-4K-AC240-WH-ND-EM-A40 X B100MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
78	MAZDA-MGXR2710110W-4K-AC240-WH-ND-A40 X B100MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
79	MAZDA-MGXR2710110W-4K-AC240-BK-ND-EM-A40 X B100MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
80	MAZDA-MGXR2710110W-4K-AC240-BK-ND-A40 X B100MM	10W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
81	MAZDA-MGXR2710110W-4K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
82	MAZDA-MGXR2710110W-4K-DC48-WH-10VDIM-A40 X B100MM	10W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
83	MAZDA-MGXR2710110W-4K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
84	MAZDA-MGXR2710110W-4K-DC48-BK-10VDIM-A40 X B100MM	10W	4000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
85	MAZDA-MGXR2710110W-4K-DC48-WH-PH-EM-A40 X B100MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
86	MAZDA-MGXR2710110W-4K-DC48-WH-PH-A40 X B100MM	10W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
87	MAZDA-MGXR2710110W-4K-DC48-BK-PH-EM-A40 X B100MM	10W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
88	MAZDA-MGXR2710110W-4K-DC48-BK-PH-A40 X B100MM	10W	4000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
89	MAZDA-MGXR2710110W-4K-DC48-WH-DA-EM-A40 X B100MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
90	MAZDA-MGXR2710110W-4K-DC48-WH-DA-A40 X B100MM	10W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
91	MAZDA-MGXR2710110W-4K-DC48-BK-DA-EM-A40 X B100MM	10W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
92	MAZDA-MGXR2710110W-4K-DC48-BK-DA-A40 X B100MM	10W	4000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
93	MAZDA-MGXR2710110W-4K-DC48-WH-ND-EM-A40 X B100MM	10W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
94	MAZDA-MGXR2710110W-4K-DC48-WH-ND-A40 X B100MM	10W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
95	MAZDA-MGXR2710110W-4K-DC48-BK-ND-EM-A40 X B100MM	10W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
96	MAZDA-MGXR2710110W-4K-DC48-BK-ND-A40 X B100MM	10W	4000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
97	MAZDA-MGXR2710110W-4K-DC24-WH-10VDIM-EM-A40 X B100MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
98	MAZDA-MGXR2710110W-4K-DC24-WH-10VDIM-A40 X B100MM	10W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
99	MAZDA-MGXR2710110W-4K-DC24-BK-10VDIM-EM-A40 X B100MM	10W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
100	MAZDA-MGXR2710110W-4K-DC24-BK-10VDIM-A40 X B100MM	10W	4000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
101	MAZDA-MGXR2710110W-4K-DC24-WH-PH-EM-A40 X B100MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
102	MAZDA-MGXR2710110W-4K-DC24-WH-PH-A40 X B100MM	10W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
103	MAZDA-MGXR2710110W-4K-DC24-BK-PH-EM-A40 X B100MM	10W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
104	MAZDA-MGXR2710110W-4K-DC24-BK-PH-A40 X B100MM	10W	4000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
105	MAZDA-MGXR2710110W-4K-DC24-WH-DA-EM-A40 X B100MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
106	MAZDA-MGXR2710110W-4K-DC24-WH-DA-A40 X B100MM	10W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
107	MAZDA-MGXR2710110W-4K-DC24-BK-DA-EM-A40 X B100MM	10W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
108	MAZDA-MGXR2710110W-4K-DC24-BK-DA-A40 X B100MM	10W	4000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
109	MAZDA-MGXR2710110W-4K-DC24-WH-ND-EM-A40 X B100MM	10W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
110	MAZDA-MGXR2710110W-4K-DC24-WH-ND-A40 X B100MM	10W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
111	MAZDA-MGXR2710110W-4K-DC24-BK-ND-EM-A40 X B100MM	10W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
112	MAZDA-MGXR2710110W-4K-DC24-BK-ND-A40 X B100MM	10W	4000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
113	MAZDA-MGXR2710110W-4K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
114	MAZDA-MGXR2710110W-4K-DC12-WH-10VDIM-A40 X B100MM	10W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
115	MAZDA-MGXR2710110W-4K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
116	MAZDA-MGXR2710110W-4K-DC12-BK-10VDIM-A40 X B100MM	10W	4000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
117	MAZDA-MGXR2710110W-4K-DC12-WH-PH-EM-A40 X B100MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
118	MAZDA-MGXR2710110W-4K-DC12-WH-PH-A40 X B100MM	10W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
119	MAZDA-MGXR2710110W-4K-DC12-BK-PH-EM-A40 X B100MM	10W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
120	MAZDA-MGXR2710110W-4K-DC12-BK-PH-A40 X B100MM	10W	4000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
121	MAZDA-MGXR2710110W-4K-DC12-WH-DA-EM-A40 X B100MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
122	MAZDA-MGXR2710110W-4K-DC12-WH-DA-A40 X B100MM	10W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
123	MAZDA-MGXR2710110W-4K-DC12-BK-DA-EM-A40 X B100MM	10W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
124	MAZDA-MGXR2710110W-4K-DC12-BK-DA-A40 X B100MM	10W	4000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
125	MAZDA-MGXR2710110W-4K-DC12-WH-ND-EM-A40 X B100MM	10W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
126	MAZDA-MGXR2710110W-4K-DC12-WH-ND-A40 X B100MM	10W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
127	MAZDA-MGXR2710110W-4K-DC12-BK-ND-EM-A40 X B100MM	10W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
128	MAZDA-MGXR2710110W-4K-DC12-BK-ND-A40 X B100MM	10W	4000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
129	MAZDA-MGXR2710110W-5K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
130	MAZDA-MGXR2710110W-5K-AC240-WH-10VDIM-A40 X B100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
131	MAZDA-MGXR2710110W-5K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
132	MAZDA-MGXR2710110W-5K-AC240-BK-10VDIM-A40 X B100MM	10W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
133	MAZDA-MGXR2710110W-5K-AC240-WH-PH-EM-A40 X B100MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
134	MAZDA-MGXR2710110W-5K-AC240-WH-PH-A40 X B100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
135	MAZDA-MGXR2710110W-5K-AC240-BK-PH-EM-A40 X B100MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
136	MAZDA-MGXR2710110W-5K-AC240-BK-PH-A40 X B100MM	10W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
137	MAZDA-MGXR2710110W-5K-AC240-WH-DA-EM-A40 X B100MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
138	MAZDA-MGXR2710110W-5K-AC240-WH-DA-A40 X B100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
139	MAZDA-MGXR2710110W-5K-AC240-BK-DA-EM-A40 X B100MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
140	MAZDA-MGXR2710110W-5K-AC240-BK-DA-A40 X B100MM	10W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
141	MAZDA-MGXR2710110W-5K-AC240-WH-ND-EM-A40 X B100MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
142	MAZDA-MGXR2710110W-5K-AC240-WH-ND-A40 X B100MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
143	MAZDA-MGXR2710110W-5K-AC240-BK-ND-EM-A40 X B100MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
144	MAZDA-MGXR2710110W-5K-AC240-BK-ND-A40 X B100MM	10W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
145	MAZDA-MGXR2710110W-5K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
146	MAZDA-MGXR2710110W-5K-DC48-WH-10VDIM-A40 X B100MM	10W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
147	MAZDA-MGXR2710110W-5K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
148	MAZDA-MGXR2710110W-5K-DC48-BK-10VDIM-A40 X B100MM	10W	5000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
149	MAZDA-MGXR2710110W-5K-DC48-WH-PH-EM-A40 X B100MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
150	MAZDA-MGXR2710110W-5K-DC48-WH-PH-A40 X B100MM	10W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
151	MAZDA-MGXR2710110W-5K-DC48-BK-PH-EM-A40 X B100MM	10W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
152	MAZDA-MGXR2710110W-5K-DC48-BK-PH-A40 X B100MM	10W	5000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
153	MAZDA-MGXR2710110W-5K-DC48-WH-DA-EM-A40 X B100MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
154	MAZDA-MGXR2710110W-5K-DC48-WH-DA-A40 X B100MM	10W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
155	MAZDA-MGXR2710110W-5K-DC48-BK-DA-EM-A40 X B100MM	10W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
156	MAZDA-MGXR2710110W-5K-DC48-BK-DA-A40 X B100MM	10W	5000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
157	MAZDA-MGXR2710110W-5K-DC48-WH-ND-EM-A40 X B100MM	10W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
158	MAZDA-MGXR2710110W-5K-DC48-WH-ND-A40 X B100MM	10W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
159	MAZDA-MGXR2710110W-5K-DC48-BK-ND-EM-A40 X B100MM	10W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
160	MAZDA-MGXR2710110W-5K-DC48-BK-ND-A40 X B100MM	10W	5000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
161	MAZDA-MGXR2710110W-5K-DC24-WH-10VDIM-EM-A40 X B100MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
162	MAZDA-MGXR2710110W-5K-DC24-WH-10VDIM-A40 X B100MM	10W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
163	MAZDA-MGXR2710110W-5K-DC24-BK-10VDIM-EM-A40 X B100MM	10W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
164	MAZDA-MGXR2710110W-5K-DC24-BK-10VDIM-A40 X B100MM	10W	5000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
165	MAZDA-MGXR2710110W-5K-DC24-WH-PH-EM-A40 X B100MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
166	MAZDA-MGXR2710110W-5K-DC24-WH-PH-A40 X B100MM	10W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
167	MAZDA-MGXR2710110W-5K-DC24-BK-PH-EM-A40 X B100MM	10W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
168	MAZDA-MGXR2710110W-5K-DC24-BK-PH-A40 X B100MM	10W	5000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
169	MAZDA-MGXR2710110W-5K-DC24-WH-DA-EM-A40 X B100MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
170	MAZDA-MGXR2710110W-5K-DC24-WH-DA-A40 X B100MM	10W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
171	MAZDA-MGXR2710110W-5K-DC24-BK-DA-EM-A40 X B100MM	10W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
172	MAZDA-MGXR2710110W-5K-DC24-BK-DA-A40 X B100MM	10W	5000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
173	MAZDA-MGXR2710110W-5K-DC24-WH-ND-EM-A40 X B100MM	10W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
174	MAZDA-MGXR2710110W-5K-DC24-WH-ND-A40 X B100MM	10W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
175	MAZDA-MGXR2710110W-5K-DC24-BK-ND-EM-A40 X B100MM	10W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
176	MAZDA-MGXR2710110W-5K-DC24-BK-ND-A40 X B100MM	10W	5000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
177	MAZDA-MGXR2710110W-5K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
178	MAZDA-MGXR2710110W-5K-DC12-WH-10VDIM-A40 X B100MM	10W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
179	MAZDA-MGXR2710110W-5K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
180	MAZDA-MGXR2710110W-5K-DC12-BK-10VDIM-A40 X B100MM	10W	5000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
181	MAZDA-MGXR2710110W-5K-DC12-WH-PH-EM-A40 X B100MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
182	MAZDA-MGXR2710110W-5K-DC12-WH-PH-A40 X B100MM	10W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
183	MAZDA-MGXR2710110W-5K-DC12-BK-PH-EM-A40 X B100MM	10W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
184	MAZDA-MGXR2710110W-5K-DC12-BK-PH-A40 X B100MM	10W	5000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
185	MAZDA-MGXR2710110W-5K-DC12-WH-DA-EM-A40 X B100MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
186	MAZDA-MGXR2710110W-5K-DC12-WH-DA-A40 X B100MM	10W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
187	MAZDA-MGXR2710110W-5K-DC12-BK-DA-EM-A40 X B100MM	10W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
188	MAZDA-MGXR2710110W-5K-DC12-BK-DA-A40 X B100MM	10W	5000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
189	MAZDA-MGXR2710110W-5K-DC12-WH-ND-EM-A40 X B100MM	10W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
190	MAZDA-MGXR2710110W-5K-DC12-WH-ND-A40 X B100MM	10W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
191	MAZDA-MGXR2710110W-5K-DC12-BK-ND-EM-A40 X B100MM	10W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
192	MAZDA-MGXR2710110W-5K-DC12-BK-ND-A40 X B100MM	10W	5000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
193	MAZDA-MGXR2710110W-6K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
194	MAZDA-MGXR2710110W-6K-AC240-WH-10VDIM-A40 X B100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
195	MAZDA-MGXR2710110W-6K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
196	MAZDA-MGXR2710110W-6K-AC240-BK-10VDIM-A40 X B100MM	10W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
197	MAZDA-MGXR2710110W-6K-AC240-WH-PH-EM-A40 X B100MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
198	MAZDA-MGXR2710110W-6K-AC240-WH-PH-A40 X B100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
199	MAZDA-MGXR2710110W-6K-AC240-BK-PH-EM-A40 X B100MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
200	MAZDA-MGXR2710110W-6K-AC240-BK-PH-A40 X B100MM	10W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
201	MAZDA-MGXR2710110W-6K-AC240-WH-DA-EM-A40 X B100MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
202	MAZDA-MGXR2710110W-6K-AC240-WH-DA-A40 X B100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
203	MAZDA-MGXR2710110W-6K-AC240-BK-DA-EM-A40 X B100MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
204	MAZDA-MGXR2710110W-6K-AC240-BK-DA-A40 X B100MM	10W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
205	MAZDA-MGXR2710110W-6K-AC240-WH-ND-EM-A40 X B100MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
206	MAZDA-MGXR2710110W-6K-AC240-WH-ND-A40 X B100MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
207	MAZDA-MGXR2710110W-6K-AC240-BK-ND-EM-A40 X B100MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
208	MAZDA-MGXR2710110W-6K-AC240-BK-ND-A40 X B100MM	10W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
209	MAZDA-MGXR2710110W-6K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
210	MAZDA-MGXR2710110W-6K-DC48-WH-10VDIM-A40 X B100MM	10W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
211	MAZDA-MGXR2710110W-6K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
212	MAZDA-MGXR2710110W-6K-DC48-BK-10VDIM-A40 X B100MM	10W	6000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
213	MAZDA-MGXR2710110W-6K-DC48-WH-PH-EM-A40 X B100MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
214	MAZDA-MGXR2710110W-6K-DC48-WH-PH-A40 X B100MM	10W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
215	MAZDA-MGXR2710110W-6K-DC48-BK-PH-EM-A40 X B100MM	10W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
216	MAZDA-MGXR2710110W-6K-DC48-BK-PH-A40 X B100MM	10W	6000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
217	MAZDA-MGXR2710110W-6K-DC48-WH-DA-EM-A40 X B100MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
218	MAZDA-MGXR2710110W-6K-DC48-WH-DA-A40 X B100MM	10W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
219	MAZDA-MGXR2710110W-6K-DC48-BK-DA-EM-A40 X B100MM	10W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
220	MAZDA-MGXR2710110W-6K-DC48-BK-DA-A40 X B100MM	10W	6000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
221	MAZDA-MGXR2710110W-6K-DC48-WH-ND-EM-A40 X B100MM	10W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
222	MAZDA-MGXR2710110W-6K-DC48-WH-ND-A40 X B100MM	10W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
223	MAZDA-MGXR2710110W-6K-DC48-BK-ND-EM-A40 X B100MM	10W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
224	MAZDA-MGXR2710110W-6K-DC48-BK-ND-A40 X B100MM	10W	6000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
225	MAZDA-MGXR2710110W-6K-DC24-WH-10VDIM-EM-A40 X B100MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
226	MAZDA-MGXR2710110W-6K-DC24-WH-10VDIM-A40 X B100MM	10W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
227	MAZDA-MGXR2710110W-6K-DC24-BK-10VDIM-EM-A40 X B100MM	10W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
228	MAZDA-MGXR2710110W-6K-DC24-BK-10VDIM-A40 X B100MM	10W	6000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
229	MAZDA-MGXR2710110W-6K-DC24-WH-PH-EM-A40 X B100MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
230	MAZDA-MGXR2710110W-6K-DC24-WH-PH-A40 X B100MM	10W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
231	MAZDA-MGXR2710110W-6K-DC24-BK-PH-EM-A40 X B100MM	10W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
232	MAZDA-MGXR2710110W-6K-DC24-BK-PH-A40 X B100MM	10W	6000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
233	MAZDA-MGXR2710110W-6K-DC24-WH-DA-EM-A40 X B100MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
234	MAZDA-MGXR2710110W-6K-DC24-WH-DA-A40 X B100MM	10W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
235	MAZDA-MGXR2710110W-6K-DC24-BK-DA-EM-A40 X B100MM	10W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
236	MAZDA-MGXR2710110W-6K-DC24-BK-DA-A40 X B100MM	10W	6000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
237	MAZDA-MGXR2710110W-6K-DC24-WH-ND-EM-A40 X B100MM	10W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
238	MAZDA-MGXR2710110W-6K-DC24-WH-ND-A40 X B100MM	10W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
239	MAZDA-MGXR2710110W-6K-DC24-BK-ND-EM-A40 X B100MM	10W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
240	MAZDA-MGXR2710110W-6K-DC24-BK-ND-A40 X B100MM	10W	6000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
241	MAZDA-MGXR2710110W-6K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
242	MAZDA-MGXR2710110W-6K-DC12-WH-10VDIM-A40 X B100MM	10W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
243	MAZDA-MGXR2710110W-6K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
244	MAZDA-MGXR2710110W-6K-DC12-BK-10VDIM-A40 X B100MM	10W	6000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
245	MAZDA-MGXR2710110W-6K-DC12-WH-PH-EM-A40 X B100MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
246	MAZDA-MGXR2710110W-6K-DC12-WH-PH-A40 X B100MM	10W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
247	MAZDA-MGXR2710110W-6K-DC12-BK-PH-EM-A40 X B100MM	10W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
248	MAZDA-MGXR2710110W-6K-DC12-BK-PH-A40 X B100MM	10W	6000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
249	MAZDA-MGXR2710110W-6K-DC12-WH-DA-EM-A40 X B100MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
250	MAZDA-MGXR2710110W-6K-DC12-WH-DA-A40 X B100MM	10W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
251	MAZDA-MGXR2710110W-6K-DC12-BK-DA-EM-A40 X B100MM	10W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
252	MAZDA-MGXR2710110W-6K-DC12-BK-DA-A40 X B100MM	10W	6000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
253	MAZDA-MGXR2710110W-6K-DC12-WH-ND-EM-A40 X B100MM	10W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
254	MAZDA-MGXR2710110W-6K-DC12-WH-ND-A40 X B100MM	10W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
255	MAZDA-MGXR2710110W-6K-DC12-BK-ND-EM-A40 X B100MM	10W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
256	MAZDA-MGXR2710110W-6K-DC12-BK-ND-A40 X B100MM	10W	6000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
257	MAZDA-MGXR2710110W-2.7K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
258	MAZDA-MGXR2710110W-2.7K-AC240-WH-10VDIM-A40 X B100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
259	MAZDA-MGXR2710110W-2.7K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
260	MAZDA-MGXR2710110W-2.7K-AC240-BK-10VDIM-A40 X B100MM	10W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
261	MAZDA-MGXR2710110W-2.7K-AC240-WH-PH-EM-A40 X B100MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
262	MAZDA-MGXR2710110W-2.7K-AC240-WH-PH-A40 X B100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
263	MAZDA-MGXR2710110W-2.7K-AC240-BK-PH-EM-A40 X B100MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
264	MAZDA-MGXR2710110W-2.7K-AC240-BK-PH-A40 X B100MM	10W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
265	MAZDA-MGXR2710110W-2.7K-AC240-WH-DA-EM-A40 X B100MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
266	MAZDA-MGXR2710110W-2.7K-AC240-WH-DA-A40 X B100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
267	MAZDA-MGXR2710110W-2.7K-AC240-BK-DA-EM-A40 X B100MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
268	MAZDA-MGXR2710110W-2.7K-AC240-BK-DA-A40 X B100MM	10W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
269	MAZDA-MGXR2710110W-2.7K-AC240-WH-ND-EM-A40 X B100MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
270	MAZDA-MGXR2710110W-2.7K-AC240-WH-ND-A40 X B100MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
271	MAZDA-MGXR2710110W-2.7K-AC240-BK-ND-EM-A40 X B100MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
272	MAZDA-MGXR2710110W-2.7K-AC240-BK-ND-A40 X B100MM	10W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
273	MAZDA-MGXR2710110W-2.7K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
274	MAZDA-MGXR2710110W-2.7K-DC48-WH-10VDIM-A40 X B100MM	10W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
275	MAZDA-MGXR2710110W-2.7K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
276	MAZDA-MGXR2710110W-2.7K-DC48-BK-10VDIM-A40 X B100MM	10W	2700	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
277	MAZDA-MGXR2710110W-2.7K-DC48-WH-PH-EM-A40 X B100MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
278	MAZDA-MGXR2710110W-2.7K-DC48-WH-PH-A40 X B100MM	10W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
279	MAZDA-MGXR2710110W-2.7K-DC48-BK-PH-EM-A40 X B100MM	10W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
280	MAZDA-MGXR2710110W-2.7K-DC48-BK-PH-A40 X B100MM	10W	2700	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
281	MAZDA-MGXR2710110W-2.7K-DC48-WH-DA-EM-A40 X B100MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
282	MAZDA-MGXR2710110W-2.7K-DC48-WH-DA-A40 X B100MM	10W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
283	MAZDA-MGXR2710110W-2.7K-DC48-BK-DA-EM-A40 X B100MM	10W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
284	MAZDA-MGXR2710110W-2.7K-DC48-BK-DA-A40 X B100MM	10W	2700	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
285	MAZDA-MGXR2710110W-2.7K-DC48-WH-ND-EM-A40 X B100MM	10W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
286	MAZDA-MGXR2710110W-2.7K-DC48-WH-ND-A40 X B100MM	10W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
287	MAZDA-MGXR2710110W-2.7K-DC48-BK-ND-EM-A40 X B100MM	10W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
288	MAZDA-MGXR2710110W-2.7K-DC48-BK-ND-A40 X B100MM	10W	2700	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
289	MAZDA-MGXR2710110W-2.7K-DC24-WH-10VDIM-EM-A40 X B100MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
290	MAZDA-MGXR2710110W-2.7K-DC24-WH-10VDIM-A40 X B100MM	10W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
291	MAZDA-MGXR2710110W-2.7K-DC24-BK-10VDIM-EM-A40 X B100MM	10W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
292	MAZDA-MGXR2710110W-2.7K-DC24-BK-10VDIM-A40 X B100MM	10W	2700	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
293	MAZDA-MGXR2710110W-2.7K-DC24-WH-PH-EM-A40 X B100MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
294	MAZDA-MGXR2710110W-2.7K-DC24-WH-PH-A40 X B100MM	10W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
295	MAZDA-MGXR2710110W-2.7K-DC24-BK-PH-EM-A40 X B100MM	10W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
296	MAZDA-MGXR2710110W-2.7K-DC24-BK-PH-A40 X B100MM	10W	2700	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
297	MAZDA-MGXR2710110W-2.7K-DC24-WH-DA-EM-A40 X B100MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
298	MAZDA-MGXR2710110W-2.7K-DC24-WH-DA-A40 X B100MM	10W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
299	MAZDA-MGXR2710110W-2.7K-DC24-BK-DA-EM-A40 X B100MM	10W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
300	MAZDA-MGXR2710110W-2.7K-DC24-BK-DA-A40 X B100MM	10W	2700	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
301	MAZDA-MGXR2710110W-2.7K-DC24-WH-ND-EM-A40 X B100MM	10W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
302	MAZDA-MGXR2710110W-2.7K-DC24-WH-ND-A40 X B100MM	10W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
303	MAZDA-MGXR2710110W-2.7K-DC24-BK-ND-EM-A40 X B100MM	10W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
304	MAZDA-MGXR2710110W-2.7K-DC24-BK-ND-A40 X B100MM	10W	2700	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
305	MAZDA-MGXR2710110W-2.7K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
306	MAZDA-MGXR2710110W-2.7K-DC12-WH-10VDIM-A40 X B100MM	10W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
307	MAZDA-MGXR2710110W-2.7K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
308	MAZDA-MGXR2710110W-2.7K-DC12-BK-10VDIM-A40 X B100MM	10W	2700	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
309	MAZDA-MGXR2710110W-2.7K-DC12-WH-PH-EM-A40 X B100MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
310	MAZDA-MGXR2710110W-2.7K-DC12-WH-PH-A40 X B100MM	10W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
311	MAZDA-MGXR2710110W-2.7K-DC12-BK-PH-EM-A40 X B100MM	10W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
312	MAZDA-MGXR2710110W-2.7K-DC12-BK-PH-A40 X B100MM	10W	2700	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
313	MAZDA-MGXR2710110W-2.7K-DC12-WH-DA-EM-A40 X B100MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
314	MAZDA-MGXR2710110W-2.7K-DC12-WH-DA-A40 X B100MM	10W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
315	MAZDA-MGXR2710110W-2.7K-DC12-BK-DA-EM-A40 X B100MM	10W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
316	MAZDA-MGXR2710110W-2.7K-DC12-BK-DA-A40 X B100MM	10W	2700	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
317	MAZDA-MGXR2710110W-2.7K-DC12-WH-ND-EM-A40 X B100MM	10W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
318	MAZDA-MGXR2710110W-2.7K-DC12-WH-ND-A40 X B100MM	10W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
319	MAZDA-MGXR2710110W-2.7K-DC12-BK-ND-EM-A40 X B100MM	10W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
320	MAZDA-MGXR2710110W-2.7K-DC12-BK-ND-A40 X B100MM	10W	2700	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
321	MAZDA-MGXR2710110W-6.5K-AC240-WH-10VDIM-EM-A40 X B100MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
322	MAZDA-MGXR2710110W-6.5K-AC240-WH-10VDIM-A40 X B100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
323	MAZDA-MGXR2710110W-6.5K-AC240-BK-10VDIM-EM-A40 X B100MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
324	MAZDA-MGXR2710110W-6.5K-AC240-BK-10VDIM-A40 X B100MM	10W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
325	MAZDA-MGXR2710110W-6.5K-AC240-WH-PH-EM-A40 X B100MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
326	MAZDA-MGXR2710110W-6.5K-AC240-WH-PH-A40 X B100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
327	MAZDA-MGXR2710110W-6.5K-AC240-BK-PH-EM-A40 X B100MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
328	MAZDA-MGXR2710110W-6.5K-AC240-BK-PH-A40 X B100MM	10W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
329	MAZDA-MGXR2710110W-6.5K-AC240-WH-DA-EM-A40 X B100MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
330	MAZDA-MGXR2710110W-6.5K-AC240-WH-DA-A40 X B100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
331	MAZDA-MGXR2710110W-6.5K-AC240-BK-DA-EM-A40 X B100MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
332	MAZDA-MGXR2710110W-6.5K-AC240-BK-DA-A40 X B100MM	10W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
333	MAZDA-MGXR2710110W-6.5K-AC240-WH-ND-EM-A40 X B100MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
334	MAZDA-MGXR2710110W-6.5K-AC240-WH-ND-A40 X B100MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
335	MAZDA-MGXR2710110W-6.5K-AC240-BK-ND-EM-A40 X B100MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
336	MAZDA-MGXR2710110W-6.5K-AC240-BK-ND-A40 X B100MM	10W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
337	MAZDA-MGXR2710110W-6.5K-DC48-WH-10VDIM-EM-A40 X B100MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
338	MAZDA-MGXR2710110W-6.5K-DC48-WH-10VDIM-A40 X B100MM	10W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
339	MAZDA-MGXR2710110W-6.5K-DC48-BK-10VDIM-EM-A40 X B100MM	10W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
340	MAZDA-MGXR2710110W-6.5K-DC48-BK-10VDIM-A40 X B100MM	10W	6500	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
341	MAZDA-MGXR2710110W-6.5K-DC48-WH-PH-EM-A40 X B100MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
342	MAZDA-MGXR2710110W-6.5K-DC48-WH-PH-A40 X B100MM	10W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
343	MAZDA-MGXR2710110W-6.5K-DC48-BK-PH-EM-A40 X B100MM	10W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
344	MAZDA-MGXR2710110W-6.5K-DC48-BK-PH-A40 X B100MM	10W	6500	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
345	MAZDA-MGXR2710110W-6.5K-DC48-WH-DA-EM-A40 X B100MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
346	MAZDA-MGXR2710110W-6.5K-DC48-WH-DA-A40 X B100MM	10W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
347	MAZDA-MGXR2710110W-6.5K-DC48-BK-DA-EM-A40 X B100MM	10W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
348	MAZDA-MGXR2710110W-6.5K-DC48-BK-DA-A40 X B100MM	10W	6500	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
349	MAZDA-MGXR2710110W-6.5K-DC48-WH-ND-EM-A40 X B100MM	10W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
350	MAZDA-MGXR2710110W-6.5K-DC48-WH-ND-A40 X B100MM	10W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
351	MAZDA-MGXR2710110W-6.5K-DC48-BK-ND-EM-A40 X B100MM	10W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
352	MAZDA-MGXR2710110W-6.5K-DC48-BK-ND-A40 X B100MM	10W	6500	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
353	MAZDA-MGXR2710110W-6.5K-DC24-WH-10VDIM-EM-A40 X B100MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
354	MAZDA-MGXR2710110W-6.5K-DC24-WH-10VDIM-A40 X B100MM	10W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
355	MAZDA-MGXR2710110W-6.5K-DC24-BK-10VDIM-EM-A40 X B100MM	10W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
356	MAZDA-MGXR2710110W-6.5K-DC24-BK-10VDIM-A40 X B100MM	10W	6500	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
357	MAZDA-MGXR2710110W-6.5K-DC24-WH-PH-EM-A40 X B100MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
358	MAZDA-MGXR2710110W-6.5K-DC24-WH-PH-A40 X B100MM	10W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
359	MAZDA-MGXR2710110W-6.5K-DC24-BK-PH-EM-A40 X B100MM	10W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
360	MAZDA-MGXR2710110W-6.5K-DC24-BK-PH-A40 X B100MM	10W	6500	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
361	MAZDA-MGXR2710110W-6.5K-DC24-WH-DA-EM-A40 X B100MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
362	MAZDA-MGXR2710110W-6.5K-DC24-WH-DA-A40 X B100MM	10W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
363	MAZDA-MGXR2710110W-6.5K-DC24-BK-DA-EM-A40 X B100MM	10W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
364	MAZDA-MGXR2710110W-6.5K-DC24-BK-DA-A40 X B100MM	10W	6500	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
365	MAZDA-MGXR2710110W-6.5K-DC24-WH-ND-EM-A40 X B100MM	10W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
366	MAZDA-MGXR2710110W-6.5K-DC24-WH-ND-A40 X B100MM	10W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
367	MAZDA-MGXR2710110W-6.5K-DC24-BK-ND-EM-A40 X B100MM	10W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
368	MAZDA-MGXR2710110W-6.5K-DC24-BK-ND-A40 X B100MM	10W	6500	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
369	MAZDA-MGXR2710110W-6.5K-DC12-WH-10VDIM-EM-A40 X B100MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
370	MAZDA-MGXR2710110W-6.5K-DC12-WH-10VDIM-A40 X B100MM	10W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
371	MAZDA-MGXR2710110W-6.5K-DC12-BK-10VDIM-EM-A40 X B100MM	10W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
372	MAZDA-MGXR2710110W-6.5K-DC12-BK-10VDIM-A40 X B100MM	10W	6500	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
373	MAZDA-MGXR2710110W-6.5K-DC12-WH-PH-EM-A40 X B100MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
374	MAZDA-MGXR2710110W-6.5K-DC12-WH-PH-A40 X B100MM	10W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
375	MAZDA-MGXR2710110W-6.5K-DC12-BK-PH-EM-A40 X B100MM	10W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
376	MAZDA-MGXR2710110W-6.5K-DC12-BK-PH-A40 X B100MM	10W	6500	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
377	MAZDA-MGXR2710110W-6.5K-DC12-WH-DA-EM-A40 X B100MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
378	MAZDA-MGXR2710110W-6.5K-DC12-WH-DA-A40 X B100MM	10W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
379	MAZDA-MGXR2710110W-6.5K-DC12-BK-DA-EM-A40 X B100MM	10W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
380	MAZDA-MGXR2710110W-6.5K-DC12-BK-DA-A40 X B100MM	10W	6500	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
381	MAZDA-MGXR2710110W-6.5K-DC12-WH-ND-EM-A40 X B100MM	10W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
382	MAZDA-MGXR2710110W-6.5K-DC12-WH-ND-A40 X B100MM	10W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
383	MAZDA-MGXR2710110W-6.5K-DC12-BK-ND-EM-A40 X B100MM	10W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
384	MAZDA-MGXR2710110W-6.5K-DC12-BK-ND-A40 X B100MM	10W	6500	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A40 X B100MM	DIE CAST ALUMINUM	44	1200LM	A40 X B100MM	
385	MAZDA-MGXR2710115W-3K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
386	MAZDA-MGXR2710115W-3K-AC240-WH-10VDIM-A50 X B120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
387	MAZDA-MGXR2710115W-3K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
388	MAZDA-MGXR2710115W-3K-AC240-BK-10VDIM-A50 X B120MM	15W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
389	MAZDA-MGXR2710115W-3K-AC240-WH-PH-EM-A50 X B120MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
390	MAZDA-MGXR2710115W-3K-AC240-WH-PH-A50 X B120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
391	MAZDA-MGXR2710115W-3K-AC240-BK-PH-EM-A50 X B120MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
392	MAZDA-MGXR2710115W-3K-AC240-BK-PH-A50 X B120MM	15W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
393	MAZDA-MGXR2710115W-3K-AC240-WH-DA-EM-A50 X B120MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
394	MAZDA-MGXR2710115W-3K-AC240-WH-DA-A50 X B120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
395	MAZDA-MGXR2710115W-3K-AC240-BK-DA-EM-A50 X B120MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
396	MAZDA-MGXR2710115W-3K-AC240-BK-DA-A50 X B120MM	15W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
397	MAZDA-MGXR2710115W-3K-AC240-WH-ND-EM-A50 X B120MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
398	MAZDA-MGXR2710115W-3K-AC240-WH-ND-A50 X B120MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
399	MAZDA-MGXR2710115W-3K-AC240-BK-ND-EM-A50 X B120MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
400	MAZDA-MGXR2710115W-3K-AC240-BK-ND-A50 X B120MM	15W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
401	MAZDA-MGXR2710115W-3K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
402	MAZDA-MGXR2710115W-3K-DC48-WH-10VDIM-A50 X B120MM	15W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
403	MAZDA-MGXR2710115W-3K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
404	MAZDA-MGXR2710115W-3K-DC48-BK-10VDIM-A50 X B120MM	15W	3000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
405	MAZDA-MGXR2710115W-3K-DC48-WH-PH-EM-A50 X B120MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
406	MAZDA-MGXR2710115W-3K-DC48-WH-PH-A50 X B120MM	15W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
407	MAZDA-MGXR2710115W-3K-DC48-BK-PH-EM-A50 X B120MM	15W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
408	MAZDA-MGXR2710115W-3K-DC48-BK-PH-A50 X B120MM	15W	3000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
409	MAZDA-MGXR2710115W-3K-DC48-WH-DA-EM-A50 X B120MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
410	MAZDA-MGXR2710115W-3K-DC48-WH-DA-A50 X B120MM	15W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
411	MAZDA-MGXR2710115W-3K-DC48-BK-DA-EM-A50 X B120MM	15W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
412	MAZDA-MGXR2710115W-3K-DC48-BK-DA-A50 X B120MM	15W	3000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
413	MAZDA-MGXR2710115W-3K-DC48-WH-ND-EM-A50 X B120MM	15W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
414	MAZDA-MGXR2710115W-3K-DC48-WH-ND-A50 X B120MM	15W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
415	MAZDA-MGXR2710115W-3K-DC48-BK-ND-EM-A50 X B120MM	15W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
416	MAZDA-MGXR2710115W-3K-DC48-BK-ND-A50 X B120MM	15W	3000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
417	MAZDA-MGXR2710115W-3K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
418	MAZDA-MGXR2710115W-3K-DC24-WH-10VDIM-A50 X B120MM	15W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
419	MAZDA-MGXR2710115W-3K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
420	MAZDA-MGXR2710115W-3K-DC24-BK-10VDIM-A50 X B120MM	15W	3000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
421	MAZDA-MGXR2710115W-3K-DC24-WH-PH-EM-A50 X B120MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
422	MAZDA-MGXR2710115W-3K-DC24-WH-PH-A50 X B120MM	15W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
423	MAZDA-MGXR2710115W-3K-DC24-BK-PH-EM-A50 X B120MM	15W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
424	MAZDA-MGXR2710115W-3K-DC24-BK-PH-A50 X B120MM	15W	3000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
425	MAZDA-MGXR2710115W-3K-DC24-WH-DA-EM-A50 X B120MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
426	MAZDA-MGXR2710115W-3K-DC24-WH-DA-A50 X B120MM	15W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
427	MAZDA-MGXR2710115W-3K-DC24-BK-DA-EM-A50 X B120MM	15W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
428	MAZDA-MGXR2710115W-3K-DC24-BK-DA-A50 X B120MM	15W	3000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
429	MAZDA-MGXR2710115W-3K-DC24-WH-ND-EM-A50 X B120MM	15W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
430	MAZDA-MGXR2710115W-3K-DC24-WH-ND-A50 X B120MM	15W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
431	MAZDA-MGXR2710115W-3K-DC24-BK-ND-EM-A50 X B120MM	15W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
432	MAZDA-MGXR2710115W-3K-DC24-BK-ND-A50 X B120MM	15W	3000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
433	MAZDA-MGXR2710115W-3K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
434	MAZDA-MGXR2710115W-3K-DC12-WH-10VDIM-A50 X B120MM	15W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
435	MAZDA-MGXR2710115W-3K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
436	MAZDA-MGXR2710115W-3K-DC12-BK-10VDIM-A50 X B120MM	15W	3000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
437	MAZDA-MGXR2710115W-3K-DC12-WH-PH-EM-A50 X B120MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
438	MAZDA-MGXR2710115W-3K-DC12-WH-PH-A50 X B120MM	15W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
439	MAZDA-MGXR2710115W-3K-DC12-BK-PH-EM-A50 X B120MM	15W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
440	MAZDA-MGXR2710115W-3K-DC12-BK-PH-A50 X B120MM	15W	3000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
441	MAZDA-MGXR2710115W-3K-DC12-WH-DA-EM-A50 X B120MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
442	MAZDA-MGXR2710115W-3K-DC12-WH-DA-A50 X B120MM	15W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
443	MAZDA-MGXR2710115W-3K-DC12-BK-DA-EM-A50 X B120MM	15W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
444	MAZDA-MGXR2710115W-3K-DC12-BK-DA-A50 X B120MM	15W	3000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
445	MAZDA-MGXR2710115W-3K-DC12-WH-ND-EM-A50 X B120MM	15W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
446	MAZDA-MGXR2710115W-3K-DC12-WH-ND-A50 X B120MM	15W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
447	MAZDA-MGXR2710115W-3K-DC12-BK-ND-EM-A50 X B120MM	15W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
448	MAZDA-MGXR2710115W-3K-DC12-BK-ND-A50 X B120MM	15W	3000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
449	MAZDA-MGXR2710115W-4K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
450	MAZDA-MGXR2710115W-4K-AC240-WH-10VDIM-A50 X B120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
451	MAZDA-MGXR2710115W-4K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
452	MAZDA-MGXR2710115W-4K-AC240-BK-10VDIM-A50 X B120MM	15W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
453	MAZDA-MGXR2710115W-4K-AC240-WH-PH-EM-A50 X B120MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
454	MAZDA-MGXR2710115W-4K-AC240-WH-PH-A50 X B120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
455	MAZDA-MGXR2710115W-4K-AC240-BK-PH-EM-A50 X B120MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
456	MAZDA-MGXR2710115W-4K-AC240-BK-PH-A50 X B120MM	15W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
457	MAZDA-MGXR2710115W-4K-AC240-WH-DA-EM-A50 X B120MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
458	MAZDA-MGXR2710115W-4K-AC240-WH-DA-A50 X B120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
459	MAZDA-MGXR2710115W-4K-AC240-BK-DA-EM-A50 X B120MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
460	MAZDA-MGXR2710115W-4K-AC240-BK-DA-A50 X B120MM	15W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
461	MAZDA-MGXR2710115W-4K-AC240-WH-ND-EM-A50 X B120MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
462	MAZDA-MGXR2710115W-4K-AC240-WH-ND-A50 X B120MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
463	MAZDA-MGXR2710115W-4K-AC240-BK-ND-EM-A50 X B120MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
464	MAZDA-MGXR2710115W-4K-AC240-BK-ND-A50 X B120MM	15W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
465	MAZDA-MGXR2710115W-4K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
466	MAZDA-MGXR2710115W-4K-DC48-WH-10VDIM-A50 X B120MM	15W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
467	MAZDA-MGXR2710115W-4K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
468	MAZDA-MGXR2710115W-4K-DC48-BK-10VDIM-A50 X B120MM	15W	4000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
469	MAZDA-MGXR2710115W-4K-DC48-WH-PH-EM-A50 X B120MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
470	MAZDA-MGXR2710115W-4K-DC48-WH-PH-A50 X B120MM	15W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
471	MAZDA-MGXR2710115W-4K-DC48-BK-PH-EM-A50 X B120MM	15W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
472	MAZDA-MGXR2710115W-4K-DC48-BK-PH-A50 X B120MM	15W	4000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
473	MAZDA-MGXR2710115W-4K-DC48-WH-DA-EM-A50 X B120MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
474	MAZDA-MGXR2710115W-4K-DC48-WH-DA-A50 X B120MM	15W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
475	MAZDA-MGXR2710115W-4K-DC48-BK-DA-EM-A50 X B120MM	15W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
476	MAZDA-MGXR2710115W-4K-DC48-BK-DA-A50 X B120MM	15W	4000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
477	MAZDA-MGXR2710115W-4K-DC48-WH-ND-EM-A50 X B120MM	15W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
478	MAZDA-MGXR2710115W-4K-DC48-WH-ND-A50 X B120MM	15W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
479	MAZDA-MGXR2710115W-4K-DC48-BK-ND-EM-A50 X B120MM	15W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
480	MAZDA-MGXR2710115W-4K-DC48-BK-ND-A50 X B120MM	15W	4000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
481	MAZDA-MGXR2710115W-4K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
482	MAZDA-MGXR2710115W-4K-DC24-WH-10VDIM-A50 X B120MM	15W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
483	MAZDA-MGXR2710115W-4K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
484	MAZDA-MGXR2710115W-4K-DC24-BK-10VDIM-A50 X B120MM	15W	4000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
485	MAZDA-MGXR2710115W-4K-DC24-WH-PH-EM-A50 X B120MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
486	MAZDA-MGXR2710115W-4K-DC24-WH-PH-A50 X B120MM	15W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
487	MAZDA-MGXR2710115W-4K-DC24-BK-PH-EM-A50 X B120MM	15W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
488	MAZDA-MGXR2710115W-4K-DC24-BK-PH-A50 X B120MM	15W	4000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
489	MAZDA-MGXR2710115W-4K-DC24-WH-DA-EM-A50 X B120MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
490	MAZDA-MGXR2710115W-4K-DC24-WH-DA-A50 X B120MM	15W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
491	MAZDA-MGXR2710115W-4K-DC24-BK-DA-EM-A50 X B120MM	15W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
492	MAZDA-MGXR2710115W-4K-DC24-BK-DA-A50 X B120MM	15W	4000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
493	MAZDA-MGXR2710115W-4K-DC24-WH-ND-EM-A50 X B120MM	15W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
494	MAZDA-MGXR2710115W-4K-DC24-WH-ND-A50 X B120MM	15W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
495	MAZDA-MGXR2710115W-4K-DC24-BK-ND-EM-A50 X B120MM	15W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
496	MAZDA-MGXR2710115W-4K-DC24-BK-ND-A50 X B120MM	15W	4000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
497	MAZDA-MGXR2710115W-4K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
498	MAZDA-MGXR2710115W-4K-DC12-WH-10VDIM-A50 X B120MM	15W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
499	MAZDA-MGXR2710115W-4K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
500	MAZDA-MGXR2710115W-4K-DC12-BK-10VDIM-A50 X B120MM	15W	4000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
501	MAZDA-MGXR2710115W-4K-DC12-WH-PH-EM-A50 X B120MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
502	MAZDA-MGXR2710115W-4K-DC12-WH-PH-A50 X B120MM	15W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
503	MAZDA-MGXR2710115W-4K-DC12-BK-PH-EM-A50 X B120MM	15W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
504	MAZDA-MGXR2710115W-4K-DC12-BK-PH-A50 X B120MM	15W	4000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
505	MAZDA-MGXR2710115W-4K-DC12-WH-DA-EM-A50 X B120MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
506	MAZDA-MGXR2710115W-4K-DC12-WH-DA-A50 X B120MM	15W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
507	MAZDA-MGXR2710115W-4K-DC12-BK-DA-EM-A50 X B120MM	15W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
508	MAZDA-MGXR2710115W-4K-DC12-BK-DA-A50 X B120MM	15W	4000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
509	MAZDA-MGXR2710115W-4K-DC12-WH-ND-EM-A50 X B120MM	15W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
510	MAZDA-MGXR2710115W-4K-DC12-WH-ND-A50 X B120MM	15W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
511	MAZDA-MGXR2710115W-4K-DC12-BK-ND-EM-A50 X B120MM	15W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
512	MAZDA-MGXR2710115W-4K-DC12-BK-ND-A50 X B120MM	15W	4000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
513	MAZDA-MGXR2710115W-5K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
514	MAZDA-MGXR2710115W-5K-AC240-WH-10VDIM-A50 X B120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
515	MAZDA-MGXR2710115W-5K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
516	MAZDA-MGXR2710115W-5K-AC240-BK-10VDIM-A50 X B120MM	15W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
517	MAZDA-MGXR2710115W-5K-AC240-WH-PH-EM-A50 X B120MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
518	MAZDA-MGXR2710115W-5K-AC240-WH-PH-A50 X B120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
519	MAZDA-MGXR2710115W-5K-AC240-BK-PH-EM-A50 X B120MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
520	MAZDA-MGXR2710115W-5K-AC240-BK-PH-A50 X B120MM	15W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
521	MAZDA-MGXR2710115W-5K-AC240-WH-DA-EM-A50 X B120MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
522	MAZDA-MGXR2710115W-5K-AC240-WH-DA-A50 X B120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
523	MAZDA-MGXR2710115W-5K-AC240-BK-DA-EM-A50 X B120MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
524	MAZDA-MGXR2710115W-5K-AC240-BK-DA-A50 X B120MM	15W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
525	MAZDA-MGXR2710115W-5K-AC240-WH-ND-EM-A50 X B120MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
526	MAZDA-MGXR2710115W-5K-AC240-WH-ND-A50 X B120MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
527	MAZDA-MGXR2710115W-5K-AC240-BK-ND-EM-A50 X B120MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
528	MAZDA-MGXR2710115W-5K-AC240-BK-ND-A50 X B120MM	15W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
529	MAZDA-MGXR2710115W-5K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
530	MAZDA-MGXR2710115W-5K-DC48-WH-10VDIM-A50 X B120MM	15W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
531	MAZDA-MGXR2710115W-5K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
532	MAZDA-MGXR2710115W-5K-DC48-BK-10VDIM-A50 X B120MM	15W	5000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
533	MAZDA-MGXR2710115W-5K-DC48-WH-PH-EM-A50 X B120MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
534	MAZDA-MGXR2710115W-5K-DC48-WH-PH-A50 X B120MM	15W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
535	MAZDA-MGXR2710115W-5K-DC48-BK-PH-EM-A50 X B120MM	15W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
536	MAZDA-MGXR2710115W-5K-DC48-BK-PH-A50 X B120MM	15W	5000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
537	MAZDA-MGXR2710115W-5K-DC48-WH-DA-EM-A50 X B120MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
538	MAZDA-MGXR2710115W-5K-DC48-WH-DA-A50 X B120MM	15W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
539	MAZDA-MGXR2710115W-5K-DC48-BK-DA-EM-A50 X B120MM	15W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
540	MAZDA-MGXR2710115W-5K-DC48-BK-DA-A50 X B120MM	15W	5000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
541	MAZDA-MGXR2710115W-5K-DC48-WH-ND-EM-A50 X B120MM	15W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
542	MAZDA-MGXR2710115W-5K-DC48-WH-ND-A50 X B120MM	15W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
543	MAZDA-MGXR2710115W-5K-DC48-BK-ND-EM-A50 X B120MM	15W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
544	MAZDA-MGXR2710115W-5K-DC48-BK-ND-A50 X B120MM	15W	5000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
545	MAZDA-MGXR2710115W-5K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
546	MAZDA-MGXR2710115W-5K-DC24-WH-10VDIM-A50 X B120MM	15W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
547	MAZDA-MGXR2710115W-5K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
548	MAZDA-MGXR2710115W-5K-DC24-BK-10VDIM-A50 X B120MM	15W	5000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
549	MAZDA-MGXR2710115W-5K-DC24-WH-PH-EM-A50 X B120MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
550	MAZDA-MGXR2710115W-5K-DC24-WH-PH-A50 X B120MM	15W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
551	MAZDA-MGXR2710115W-5K-DC24-BK-PH-EM-A50 X B120MM	15W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
552	MAZDA-MGXR2710115W-5K-DC24-BK-PH-A50 X B120MM	15W	5000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
553	MAZDA-MGXR2710115W-5K-DC24-WH-DA-EM-A50 X B120MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
554	MAZDA-MGXR2710115W-5K-DC24-WH-DA-A50 X B120MM	15W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
555	MAZDA-MGXR2710115W-5K-DC24-BK-DA-EM-A50 X B120MM	15W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
556	MAZDA-MGXR2710115W-5K-DC24-BK-DA-A50 X B120MM	15W	5000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
557	MAZDA-MGXR2710115W-5K-DC24-WH-ND-EM-A50 X B120MM	15W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
558	MAZDA-MGXR2710115W-5K-DC24-WH-ND-A50 X B120MM	15W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
559	MAZDA-MGXR2710115W-5K-DC24-BK-ND-EM-A50 X B120MM	15W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
560	MAZDA-MGXR2710115W-5K-DC24-BK-ND-A50 X B120MM	15W	5000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
561	MAZDA-MGXR2710115W-5K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
562	MAZDA-MGXR2710115W-5K-DC12-WH-10VDIM-A50 X B120MM	15W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
563	MAZDA-MGXR2710115W-5K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
564	MAZDA-MGXR2710115W-5K-DC12-BK-10VDIM-A50 X B120MM	15W	5000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
565	MAZDA-MGXR2710115W-5K-DC12-WH-PH-EM-A50 X B120MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
566	MAZDA-MGXR2710115W-5K-DC12-WH-PH-A50 X B120MM	15W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
567	MAZDA-MGXR2710115W-5K-DC12-BK-PH-EM-A50 X B120MM	15W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
568	MAZDA-MGXR2710115W-5K-DC12-BK-PH-A50 X B120MM	15W	5000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
569	MAZDA-MGXR2710115W-5K-DC12-WH-DA-EM-A50 X B120MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
570	MAZDA-MGXR2710115W-5K-DC12-WH-DA-A50 X B120MM	15W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
571	MAZDA-MGXR2710115W-5K-DC12-BK-DA-EM-A50 X B120MM	15W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
572	MAZDA-MGXR2710115W-5K-DC12-BK-DA-A50 X B120MM	15W	5000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
573	MAZDA-MGXR2710115W-5K-DC12-WH-ND-EM-A50 X B120MM	15W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
574	MAZDA-MGXR2710115W-5K-DC12-WH-ND-A50 X B120MM	15W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
575	MAZDA-MGXR2710115W-5K-DC12-BK-ND-EM-A50 X B120MM	15W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
576	MAZDA-MGXR2710115W-5K-DC12-BK-ND-A50 X B120MM	15W	5000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
577	MAZDA-MGXR2710115W-6K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
578	MAZDA-MGXR2710115W-6K-AC240-WH-10VDIM-A50 X B120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
579	MAZDA-MGXR2710115W-6K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
580	MAZDA-MGXR2710115W-6K-AC240-BK-10VDIM-A50 X B120MM	15W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
581	MAZDA-MGXR2710115W-6K-AC240-WH-PH-EM-A50 X B120MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
582	MAZDA-MGXR2710115W-6K-AC240-WH-PH-A50 X B120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
583	MAZDA-MGXR2710115W-6K-AC240-BK-PH-EM-A50 X B120MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
584	MAZDA-MGXR2710115W-6K-AC240-BK-PH-A50 X B120MM	15W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
585	MAZDA-MGXR2710115W-6K-AC240-WH-DA-EM-A50 X B120MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
586	MAZDA-MGXR2710115W-6K-AC240-WH-DA-A50 X B120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
587	MAZDA-MGXR2710115W-6K-AC240-BK-DA-EM-A50 X B120MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
588	MAZDA-MGXR2710115W-6K-AC240-BK-DA-A50 X B120MM	15W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
589	MAZDA-MGXR2710115W-6K-AC240-WH-ND-EM-A50 X B120MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
590	MAZDA-MGXR2710115W-6K-AC240-WH-ND-A50 X B120MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
591	MAZDA-MGXR2710115W-6K-AC240-BK-ND-EM-A50 X B120MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
592	MAZDA-MGXR2710115W-6K-AC240-BK-ND-A50 X B120MM	15W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
593	MAZDA-MGXR2710115W-6K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
594	MAZDA-MGXR2710115W-6K-DC48-WH-10VDIM-A50 X B120MM	15W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
595	MAZDA-MGXR2710115W-6K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
596	MAZDA-MGXR2710115W-6K-DC48-BK-10VDIM-A50 X B120MM	15W	6000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
597	MAZDA-MGXR2710115W-6K-DC48-WH-PH-EM-A50 X B120MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
598	MAZDA-MGXR2710115W-6K-DC48-WH-PH-A50 X B120MM	15W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
599	MAZDA-MGXR2710115W-6K-DC48-BK-PH-EM-A50 X B120MM	15W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
600	MAZDA-MGXR2710115W-6K-DC48-BK-PH-A50 X B120MM	15W	6000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
601	MAZDA-MGXR2710115W-6K-DC48-WH-DA-EM-A50 X B120MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
602	MAZDA-MGXR2710115W-6K-DC48-WH-DA-A50 X B120MM	15W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
603	MAZDA-MGXR2710115W-6K-DC48-BK-DA-EM-A50 X B120MM	15W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
604	MAZDA-MGXR2710115W-6K-DC48-BK-DA-A50 X B120MM	15W	6000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
605	MAZDA-MGXR2710115W-6K-DC48-WH-ND-EM-A50 X B120MM	15W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
606	MAZDA-MGXR2710115W-6K-DC48-WH-ND-A50 X B120MM	15W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
607	MAZDA-MGXR2710115W-6K-DC48-BK-ND-EM-A50 X B120MM	15W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
608	MAZDA-MGXR2710115W-6K-DC48-BK-ND-A50 X B120MM	15W	6000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
609	MAZDA-MGXR2710115W-6K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
610	MAZDA-MGXR2710115W-6K-DC24-WH-10VDIM-A50 X B120MM	15W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
611	MAZDA-MGXR2710115W-6K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
612	MAZDA-MGXR2710115W-6K-DC24-BK-10VDIM-A50 X B120MM	15W	6000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
613	MAZDA-MGXR2710115W-6K-DC24-WH-PH-EM-A50 X B120MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
614	MAZDA-MGXR2710115W-6K-DC24-WH-PH-A50 X B120MM	15W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
615	MAZDA-MGXR2710115W-6K-DC24-BK-PH-EM-A50 X B120MM	15W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
616	MAZDA-MGXR2710115W-6K-DC24-BK-PH-A50 X B120MM	15W	6000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
617	MAZDA-MGXR2710115W-6K-DC24-WH-DA-EM-A50 X B120MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
618	MAZDA-MGXR2710115W-6K-DC24-WH-DA-A50 X B120MM	15W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
619	MAZDA-MGXR2710115W-6K-DC24-BK-DA-EM-A50 X B120MM	15W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
620	MAZDA-MGXR2710115W-6K-DC24-BK-DA-A50 X B120MM	15W	6000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
621	MAZDA-MGXR2710115W-6K-DC24-WH-ND-EM-A50 X B120MM	15W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
622	MAZDA-MGXR2710115W-6K-DC24-WH-ND-A50 X B120MM	15W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
623	MAZDA-MGXR2710115W-6K-DC24-BK-ND-EM-A50 X B120MM	15W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
624	MAZDA-MGXR2710115W-6K-DC24-BK-ND-A50 X B120MM	15W	6000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
625	MAZDA-MGXR2710115W-6K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
626	MAZDA-MGXR2710115W-6K-DC12-WH-10VDIM-A50 X B120MM	15W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
627	MAZDA-MGXR2710115W-6K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
628	MAZDA-MGXR2710115W-6K-DC12-BK-10VDIM-A50 X B120MM	15W	6000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
629	MAZDA-MGXR2710115W-6K-DC12-WH-PH-EM-A50 X B120MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
630	MAZDA-MGXR2710115W-6K-DC12-WH-PH-A50 X B120MM	15W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
631	MAZDA-MGXR2710115W-6K-DC12-BK-PH-EM-A50 X B120MM	15W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
632	MAZDA-MGXR2710115W-6K-DC12-BK-PH-A50 X B120MM	15W	6000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
633	MAZDA-MGXR2710115W-6K-DC12-WH-DA-EM-A50 X B120MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
634	MAZDA-MGXR2710115W-6K-DC12-WH-DA-A50 X B120MM	15W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
635	MAZDA-MGXR2710115W-6K-DC12-BK-DA-EM-A50 X B120MM	15W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
636	MAZDA-MGXR2710115W-6K-DC12-BK-DA-A50 X B120MM	15W	6000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
637	MAZDA-MGXR2710115W-6K-DC12-WH-ND-EM-A50 X B120MM	15W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
638	MAZDA-MGXR2710115W-6K-DC12-WH-ND-A50 X B120MM	15W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
639	MAZDA-MGXR2710115W-6K-DC12-BK-ND-EM-A50 X B120MM	15W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
640	MAZDA-MGXR2710115W-6K-DC12-BK-ND-A50 X B120MM	15W	6000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
641	MAZDA-MGXR2710115W-2.7K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
642	MAZDA-MGXR2710115W-2.7K-AC240-WH-10VDIM-A50 X B120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
643	MAZDA-MGXR2710115W-2.7K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
644	MAZDA-MGXR2710115W-2.7K-AC240-BK-10VDIM-A50 X B120MM	15W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
645	MAZDA-MGXR2710115W-2.7K-AC240-WH-PH-EM-A50 X B120MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
646	MAZDA-MGXR2710115W-2.7K-AC240-WH-PH-A50 X B120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
647	MAZDA-MGXR2710115W-2.7K-AC240-BK-PH-EM-A50 X B120MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
648	MAZDA-MGXR2710115W-2.7K-AC240-BK-PH-A50 X B120MM	15W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
649	MAZDA-MGXR2710115W-2.7K-AC240-WH-DA-EM-A50 X B120MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
650	MAZDA-MGXR2710115W-2.7K-AC240-WH-DA-A50 X B120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
651	MAZDA-MGXR2710115W-2.7K-AC240-BK-DA-EM-A50 X B120MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
652	MAZDA-MGXR2710115W-2.7K-AC240-BK-DA-A50 X B120MM	15W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
653	MAZDA-MGXR2710115W-2.7K-AC240-WH-ND-EM-A50 X B120MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
654	MAZDA-MGXR2710115W-2.7K-AC240-WH-ND-A50 X B120MM	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
655	MAZDA-MGXR2710115W-2.7K-AC240-BK-ND-EM-A50 X B120MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
656	MAZDA-MGXR2710115W-2.7K-AC240-BK-ND-A50 X B120MM	15W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
657	MAZDA-MGXR2710115W-2.7K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
658	MAZDA-MGXR2710115W-2.7K-DC48-WH-10VDIM-A50 X B120MM	15W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
659	MAZDA-MGXR2710115W-2.7K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
660	MAZDA-MGXR2710115W-2.7K-DC48-BK-10VDIM-A50 X B120MM	15W	2700	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
661	MAZDA-MGXR2710115W-2.7K-DC48-WH-PH-EM-A50 X B120MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
662	MAZDA-MGXR2710115W-2.7K-DC48-WH-PH-A50 X B120MM	15W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
663	MAZDA-MGXR2710115W-2.7K-DC48-BK-PH-EM-A50 X B120MM	15W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
664	MAZDA-MGXR2710115W-2.7K-DC48-BK-PH-A50 X B120MM	15W	2700	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
665	MAZDA-MGXR2710115W-2.7K-DC48-WH-DA-EM-A50 X B120MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
666	MAZDA-MGXR2710115W-2.7K-DC48-WH-DA-A50 X B120MM	15W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
667	MAZDA-MGXR2710115W-2.7K-DC48-BK-DA-EM-A50 X B120MM	15W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
668	MAZDA-MGXR2710115W-2.7K-DC48-BK-DA-A50 X B120MM	15W	2700	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
669	MAZDA-MGXR2710115W-2.7K-DC48-WH-ND-EM-A50 X B120MM	15W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
670	MAZDA-MGXR2710115W-2.7K-DC48-WH-ND-A50 X B120MM	15W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
671	MAZDA-MGXR2710115W-2.7K-DC48-BK-ND-EM-A50 X B120MM	15W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
672	MAZDA-MGXR2710115W-2.7K-DC48-BK-ND-A50 X B120MM	15W	2700	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
673	MAZDA-MGXR2710115W-2.7K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
674	MAZDA-MGXR2710115W-2.7K-DC24-WH-10VDIM-A50 X B120MM	15W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
675	MAZDA-MGXR2710115W-2.7K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
676	MAZDA-MGXR2710115W-2.7K-DC24-BK-10VDIM-A50 X B120MM	15W	2700	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
677	MAZDA-MGXR2710115W-2.7K-DC24-WH-PH-EM-A50 X B120MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
678	MAZDA-MGXR2710115W-2.7K-DC24-WH-PH-A50 X B120MM	15W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
679	MAZDA-MGXR2710115W-2.7K-DC24-BK-PH-EM-A50 X B120MM	15W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
680	MAZDA-MGXR2710115W-2.7K-DC24-BK-PH-A50 X B120MM	15W	2700	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
681	MAZDA-MGXR2710115W-2.7K-DC24-WH-DA-EM-A50 X B120MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
682	MAZDA-MGXR2710115W-2.7K-DC24-WH-DA-A50 X B120MM	15W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
683	MAZDA-MGXR2710115W-2.7K-DC24-BK-DA-EM-A50 X B120MM	15W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
684	MAZDA-MGXR2710115W-2.7K-DC24-BK-DA-A50 X B120MM	15W	2700	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
685	MAZDA-MGXR2710115W-2.7K-DC24-WH-ND-EM-A50 X B120MM	15W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
686	MAZDA-MGXR2710115W-2.7K-DC24-WH-ND-A50 X B120MM	15W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
687	MAZDA-MGXR2710115W-2.7K-DC24-BK-ND-EM-A50 X B120MM	15W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
688	MAZDA-MGXR2710115W-2.7K-DC24-BK-ND-A50 X B120MM	15W	2700	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
689	MAZDA-MGXR2710115W-2.7K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
690	MAZDA-MGXR2710115W-2.7K-DC12-WH-10VDIM-A50 X B120MM	15W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
691	MAZDA-MGXR2710115W-2.7K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
692	MAZDA-MGXR2710115W-2.7K-DC12-BK-10VDIM-A50 X B120MM	15W	2700	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
693	MAZDA-MGXR2710115W-2.7K-DC12-WH-PH-EM-A50 X B120MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
694	MAZDA-MGXR2710115W-2.7K-DC12-WH-PH-A50 X B120MM	15W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
695	MAZDA-MGXR2710115W-2.7K-DC12-BK-PH-EM-A50 X B120MM	15W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
696	MAZDA-MGXR2710115W-2.7K-DC12-BK-PH-A50 X B120MM	15W	2700	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
697	MAZDA-MGXR2710115W-2.7K-DC12-WH-DA-EM-A50 X B120MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
698	MAZDA-MGXR2710115W-2.7K-DC12-WH-DA-A50 X B120MM	15W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
699	MAZDA-MGXR2710115W-2.7K-DC12-BK-DA-EM-A50 X B120MM	15W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
700	MAZDA-MGXR2710115W-2.7K-DC12-BK-DA-A50 X B120MM	15W	2700	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
701	MAZDA-MGXR2710115W-2.7K-DC12-WH-ND-EM-A50 X B120MM	15W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
702	MAZDA-MGXR2710115W-2.7K-DC12-WH-ND-A50 X B120MM	15W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
703	MAZDA-MGXR2710115W-2.7K-DC12-BK-ND-EM-A50 X B120MM	15W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
704	MAZDA-MGXR2710115W-2.7K-DC12-BK-ND-A50 X B120MM	15W	2700	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
705	MAZDA-MGXR2710115W-6.5K-AC240-WH-10VDIM-EM-A50 X B120MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
706	MAZDA-MGXR2710115W-6.5K-AC240-WH-10VDIM-A50 X B120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
707	MAZDA-MGXR2710115W-6.5K-AC240-BK-10VDIM-EM-A50 X B120MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
708	MAZDA-MGXR2710115W-6.5K-AC240-BK-10VDIM-A50 X B120MM	15W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
709	MAZDA-MGXR2710115W-6.5K-AC240-WH-PH-EM-A50 X B120MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
710	MAZDA-MGXR2710115W-6.5K-AC240-WH-PH-A50 X B120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
711	MAZDA-MGXR2710115W-6.5K-AC240-BK-PH-EM-A50 X B120MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
712	MAZDA-MGXR2710115W-6.5K-AC240-BK-PH-A50 X B120MM	15W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
713	MAZDA-MGXR2710115W-6.5K-AC240-WH-DA-EM-A50 X B120MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
714	MAZDA-MGXR2710115W-6.5K-AC240-WH-DA-A50 X B120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
715	MAZDA-MGXR2710115W-6.5K-AC240-BK-DA-EM-A50 X B120MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
716	MAZDA-MGXR2710115W-6.5K-AC240-BK-DA-A50 X B120MM	15W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
717	MAZDA-MGXR2710115W-6.5K-AC240-WH-ND-EM-A50 X B120MM	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
718	MAZDA-MGXR2710115W-6.5K-AC240-WH-ND-A50 X B120MM	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
719	MAZDA-MGXR2710115W-6.5K-AC240-BK-ND-EM-A50 X B120MM	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
720	MAZDA-MGXR2710115W-6.5K-AC240-BK-ND-A50 X B120MM	15W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
721	MAZDA-MGXR2710115W-6.5K-DC48-WH-10VDIM-EM-A50 X B120MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
722	MAZDA-MGXR2710115W-6.5K-DC48-WH-10VDIM-A50 X B120MM	15W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
723	MAZDA-MGXR2710115W-6.5K-DC48-BK-10VDIM-EM-A50 X B120MM	15W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
724	MAZDA-MGXR2710115W-6.5K-DC48-BK-10VDIM-A50 X B120MM	15W	6500	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
725	MAZDA-MGXR2710115W-6.5K-DC48-WH-PH-EM-A50 X B120MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
726	MAZDA-MGXR2710115W-6.5K-DC48-WH-PH-A50 X B120MM	15W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
727	MAZDA-MGXR2710115W-6.5K-DC48-BK-PH-EM-A50 X B120MM	15W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
728	MAZDA-MGXR2710115W-6.5K-DC48-BK-PH-A50 X B120MM	15W	6500	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
729	MAZDA-MGXR2710115W-6.5K-DC48-WH-DA-EM-A50 X B120MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
730	MAZDA-MGXR2710115W-6.5K-DC48-WH-DA-A50 X B120MM	15W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
731	MAZDA-MGXR2710115W-6.5K-DC48-BK-DA-EM-A50 X B120MM	15W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
732	MAZDA-MGXR2710115W-6.5K-DC48-BK-DA-A50 X B120MM	15W	6500	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
733	MAZDA-MGXR2710115W-6.5K-DC48-WH-ND-EM-A50 X B120MM	15W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
734	MAZDA-MGXR2710115W-6.5K-DC48-WH-ND-A50 X B120MM	15W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
735	MAZDA-MGXR2710115W-6.5K-DC48-BK-ND-EM-A50 X B120MM	15W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
736	MAZDA-MGXR2710115W-6.5K-DC48-BK-ND-A50 X B120MM	15W	6500	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
737	MAZDA-MGXR2710115W-6.5K-DC24-WH-10VDIM-EM-A50 X B120MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
738	MAZDA-MGXR2710115W-6.5K-DC24-WH-10VDIM-A50 X B120MM	15W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
739	MAZDA-MGXR2710115W-6.5K-DC24-BK-10VDIM-EM-A50 X B120MM	15W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
740	MAZDA-MGXR2710115W-6.5K-DC24-BK-10VDIM-A50 X B120MM	15W	6500	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
741	MAZDA-MGXR2710115W-6.5K-DC24-WH-PH-EM-A50 X B120MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
742	MAZDA-MGXR2710115W-6.5K-DC24-WH-PH-A50 X B120MM	15W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
743	MAZDA-MGXR2710115W-6.5K-DC24-BK-PH-EM-A50 X B120MM	15W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
744	MAZDA-MGXR2710115W-6.5K-DC24-BK-PH-A50 X B120MM	15W	6500	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
745	MAZDA-MGXR2710115W-6.5K-DC24-WH-DA-EM-A50 X B120MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
746	MAZDA-MGXR2710115W-6.5K-DC24-WH-DA-A50 X B120MM	15W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
747	MAZDA-MGXR2710115W-6.5K-DC24-BK-DA-EM-A50 X B120MM	15W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
748	MAZDA-MGXR2710115W-6.5K-DC24-BK-DA-A50 X B120MM	15W	6500	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
749	MAZDA-MGXR2710115W-6.5K-DC24-WH-ND-EM-A50 X B120MM	15W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
750	MAZDA-MGXR2710115W-6.5K-DC24-WH-ND-A50 X B120MM	15W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
751	MAZDA-MGXR2710115W-6.5K-DC24-BK-ND-EM-A50 X B120MM	15W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
752	MAZDA-MGXR2710115W-6.5K-DC24-BK-ND-A50 X B120MM	15W	6500	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
753	MAZDA-MGXR2710115W-6.5K-DC12-WH-10VDIM-EM-A50 X B120MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
754	MAZDA-MGXR2710115W-6.5K-DC12-WH-10VDIM-A50 X B120MM	15W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
755	MAZDA-MGXR2710115W-6.5K-DC12-BK-10VDIM-EM-A50 X B120MM	15W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
756	MAZDA-MGXR2710115W-6.5K-DC12-BK-10VDIM-A50 X B120MM	15W	6500	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
757	MAZDA-MGXR2710115W-6.5K-DC12-WH-PH-EM-A50 X B120MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
758	MAZDA-MGXR2710115W-6.5K-DC12-WH-PH-A50 X B120MM	15W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
759	MAZDA-MGXR2710115W-6.5K-DC12-BK-PH-EM-A50 X B120MM	15W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
760	MAZDA-MGXR2710115W-6.5K-DC12-BK-PH-A50 X B120MM	15W	6500	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
761	MAZDA-MGXR2710115W-6.5K-DC12-WH-DA-EM-A50 X B120MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
762	MAZDA-MGXR2710115W-6.5K-DC12-WH-DA-A50 X B120MM	15W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
763	MAZDA-MGXR2710115W-6.5K-DC12-BK-DA-EM-A50 X B120MM	15W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
764	MAZDA-MGXR2710115W-6.5K-DC12-BK-DA-A50 X B120MM	15W	6500	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
765	MAZDA-MGXR2710115W-6.5K-DC12-WH-ND-EM-A50 X B120MM	15W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
766	MAZDA-MGXR2710115W-6.5K-DC12-WH-ND-A50 X B120MM	15W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
767	MAZDA-MGXR2710115W-6.5K-DC12-BK-ND-EM-A50 X B120MM	15W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
768	MAZDA-MGXR2710115W-6.5K-DC12-BK-ND-A50 X B120MM	15W	6500	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A50 X B120MM	DIE CAST ALUMINUM	44	1800LM	A50 X B120MM	
769	MAZDA-MGXR2710130W-3K-AC240-WH-10VDIM-EM-A68 X B155MM	30W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
770	MAZDA-MGXR2710130W-3K-AC240-WH-10VDIM-A68 X B155MM	30W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
771	MAZDA-MGXR2710130W-3K-AC240-BK-10VDIM-EM-A68 X B155MM	30W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
772	MAZDA-MGXR2710130W-3K-AC240-BK-10VDIM-A68 X B155MM	30W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
773	MAZDA-MGXR2710130W-3K-AC240-WH-PH-EM-A68 X B155MM	30W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
774	MAZDA-MGXR2710130W-3K-AC240-WH-PH-A68 X B155MM	30W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
775	MAZDA-MGXR2710130W-3K-AC240-BK-PH-EM-A68 X B155MM	30W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
776	MAZDA-MGXR2710130W-3K-AC240-BK-PH-A68 X B155MM	30W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
777	MAZDA-MGXR2710130W-3K-AC240-WH-DA-EM-A68 X B155MM	30W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
778	MAZDA-MGXR2710130W-3K-AC240-WH-DA-A68 X B155MM	30W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
779	MAZDA-MGXR2710130W-3K-AC240-BK-DA-EM-A68 X B155MM	30W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
780	MAZDA-MGXR2710130W-3K-AC240-BK-DA-A68 X B155MM	30W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
781	MAZDA-MGXR2710130W-3K-AC240-WH-ND-EM-A68 X B155MM	30W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
782	MAZDA-MGXR2710130W-3K-AC240-WH-ND-A68 X B155MM	30W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
783	MAZDA-MGXR2710130W-3K-AC240-BK-ND-EM-A68 X B155MM	30W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
784	MAZDA-MGXR2710130W-3K-AC240-BK-ND-A68 X B155MM	30W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
785	MAZDA-MGXR2710130W-3K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
786	MAZDA-MGXR2710130W-3K-DC48-WH-10VDIM-A68 X B155MM	30W	3000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
787	MAZDA-MGXR2710130W-3K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
788	MAZDA-MGXR2710130W-3K-DC48-BK-10VDIM-A68 X B155MM	30W	3000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
789	MAZDA-MGXR2710130W-3K-DC48-WH-PH-EM-A68 X B155MM	30W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
790	MAZDA-MGXR2710130W-3K-DC48-WH-PH-A68 X B155MM	30W	3000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
791	MAZDA-MGXR2710130W-3K-DC48-BK-PH-EM-A68 X B155MM	30W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
792	MAZDA-MGXR2710130W-3K-DC48-BK-PH-A68 X B155MM	30W	3000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
793	MAZDA-MGXR2710130W-3K-DC48-WH-DA-EM-A68 X B155MM	30W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
794	MAZDA-MGXR2710130W-3K-DC48-WH-DA-A68 X B155MM	30W	3000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
795	MAZDA-MGXR2710130W-3K-DC48-BK-DA-EM-A68 X B155MM	30W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
796	MAZDA-MGXR2710130W-3K-DC48-BK-DA-A68 X B155MM	30W	3000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
797	MAZDA-MGXR2710130W-3K-DC48-WH-ND-EM-A68 X B155MM	30W	3000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
798	MAZDA-MGXR2710130W-3K-DC48-WH-ND-A68 X B155MM	30W	3000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
799	MAZDA-MGXR2710130W-3K-DC48-BK-ND-EM-A68 X B155MM	30W	3000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
800	MAZDA-MGXR2710130W-3K-DC48-BK-ND-A68 X B155MM	30W	3000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
801	MAZDA-MGXR2710130W-3K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
802	MAZDA-MGXR2710130W-3K-DC24-WH-10VDIM-A68 X B155MM	30W	3000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
803	MAZDA-MGXR2710130W-3K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
804	MAZDA-MGXR2710130W-3K-DC24-BK-10VDIM-A68 X B155MM	30W	3000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
805	MAZDA-MGXR2710130W-3K-DC24-WH-PH-EM-A68 X B155MM	30W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
806	MAZDA-MGXR2710130W-3K-DC24-WH-PH-A68 X B155MM	30W	3000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
807	MAZDA-MGXR2710130W-3K-DC24-BK-PH-EM-A68 X B155MM	30W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
808	MAZDA-MGXR2710130W-3K-DC24-BK-PH-A68 X B155MM	30W	3000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
809	MAZDA-MGXR2710130W-3K-DC24-WH-DA-EM-A68 X B155MM	30W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
810	MAZDA-MGXR2710130W-3K-DC24-WH-DA-A68 X B155MM	30W	3000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
811	MAZDA-MGXR2710130W-3K-DC24-BK-DA-EM-A68 X B155MM	30W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
812	MAZDA-MGXR2710130W-3K-DC24-BK-DA-A68 X B155MM	30W	3000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
813	MAZDA-MGXR2710130W-3K-DC24-WH-ND-EM-A68 X B155MM	30W	3000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
814	MAZDA-MGXR2710130W-3K-DC24-WH-ND-A68 X B155MM	30W	3000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
815	MAZDA-MGXR2710130W-3K-DC24-BK-ND-EM-A68 X B155MM	30W	3000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
816	MAZDA-MGXR2710130W-3K-DC24-BK-ND-A68 X B155MM	30W	3000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
817	MAZDA-MGXR2710130W-3K-DC12-WH-10VDIM-EM-A68 X B155MM	30W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
818	MAZDA-MGXR2710130W-3K-DC12-WH-10VDIM-A68 X B155MM	30W	3000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
819	MAZDA-MGXR2710130W-3K-DC12-BK-10VDIM-EM-A68 X B155MM	30W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
820	MAZDA-MGXR2710130W-3K-DC12-BK-10VDIM-A68 X B155MM	30W	3000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
821	MAZDA-MGXR2710130W-3K-DC12-WH-PH-EM-A68 X B155MM	30W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
822	MAZDA-MGXR2710130W-3K-DC12-WH-PH-A68 X B155MM	30W	3000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
823	MAZDA-MGXR2710130W-3K-DC12-BK-PH-EM-A68 X B155MM	30W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
824	MAZDA-MGXR2710130W-3K-DC12-BK-PH-A68 X B155MM	30W	3000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
825	MAZDA-MGXR2710130W-3K-DC12-WH-DA-EM-A68 X B155MM	30W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
826	MAZDA-MGXR2710130W-3K-DC12-WH-DA-A68 X B155MM	30W	3000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
827	MAZDA-MGXR2710130W-3K-DC12-BK-DA-EM-A68 X B155MM	30W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
828	MAZDA-MGXR2710130W-3K-DC12-BK-DA-A68 X B155MM	30W	3000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
829	MAZDA-MGXR2710130W-3K-DC12-WH-ND-EM-A68 X B155MM	30W	3000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
830	MAZDA-MGXR2710130W-3K-DC12-WH-ND-A68 X B155MM	30W	3000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
831	MAZDA-MGXR2710130W-3K-DC12-BK-ND-EM-A68 X B155MM	30W	3000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
832	MAZDA-MGXR2710130W-3K-DC12-BK-ND-A68 X B155MM	30W	3000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
833	MAZDA-MGXR2710130W-4K-AC240-WH-10VDIM-EM-A68 X B155MM	30W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
834	MAZDA-MGXR2710130W-4K-AC240-WH-10VDIM-A68 X B155MM	30W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
835	MAZDA-MGXR2710130W-4K-AC240-BK-10VDIM-EM-A68 X B155MM	30W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
836	MAZDA-MGXR2710130W-4K-AC240-BK-10VDIM-A68 X B155MM	30W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
837	MAZDA-MGXR2710130W-4K-AC240-WH-PH-EM-A68 X B155MM	30W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
838	MAZDA-MGXR2710130W-4K-AC240-WH-PH-A68 X B155MM	30W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
839	MAZDA-MGXR2710130W-4K-AC240-BK-PH-EM-A68 X B155MM	30W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
840	MAZDA-MGXR2710130W-4K-AC240-BK-PH-A68 X B155MM	30W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
841	MAZDA-MGXR2710130W-4K-AC240-WH-DA-EM-A68 X B155MM	30W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
842	MAZDA-MGXR2710130W-4K-AC240-WH-DA-A68 X B155MM	30W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
843	MAZDA-MGXR2710130W-4K-AC240-BK-DA-EM-A68 X B155MM	30W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
844	MAZDA-MGXR2710130W-4K-AC240-BK-DA-A68 X B155MM	30W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
845	MAZDA-MGXR2710130W-4K-AC240-WH-ND-EM-A68 X B155MM	30W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
846	MAZDA-MGXR2710130W-4K-AC240-WH-ND-A68 X B155MM	30W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
847	MAZDA-MGXR2710130W-4K-AC240-BK-ND-EM-A68 X B155MM	30W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
848	MAZDA-MGXR2710130W-4K-AC240-BK-ND-A68 X B155MM	30W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
849	MAZDA-MGXR2710130W-4K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
850	MAZDA-MGXR2710130W-4K-DC48-WH-10VDIM-A68 X B155MM	30W	4000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
851	MAZDA-MGXR2710130W-4K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
852	MAZDA-MGXR2710130W-4K-DC48-BK-10VDIM-A68 X B155MM	30W	4000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
853	MAZDA-MGXR2710130W-4K-DC48-WH-PH-EM-A68 X B155MM	30W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
854	MAZDA-MGXR2710130W-4K-DC48-WH-PH-A68 X B155MM	30W	4000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
855	MAZDA-MGXR2710130W-4K-DC48-BK-PH-EM-A68 X B155MM	30W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
856	MAZDA-MGXR2710130W-4K-DC48-BK-PH-A68 X B155MM	30W	4000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
857	MAZDA-MGXR2710130W-4K-DC48-WH-DA-EM-A68 X B155MM	30W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
858	MAZDA-MGXR2710130W-4K-DC48-WH-DA-A68 X B155MM	30W	4000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
859	MAZDA-MGXR2710130W-4K-DC48-BK-DA-EM-A68 X B155MM	30W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
860	MAZDA-MGXR2710130W-4K-DC48-BK-DA-A68 X B155MM	30W	4000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
861	MAZDA-MGXR2710130W-4K-DC48-WH-ND-EM-A68 X B155MM	30W	4000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
862	MAZDA-MGXR2710130W-4K-DC48-WH-ND-A68 X B155MM	30W	4000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
863	MAZDA-MGXR2710130W-4K-DC48-BK-ND-EM-A68 X B155MM	30W	4000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
864	MAZDA-MGXR2710130W-4K-DC48-BK-ND-A68 X B155MM	30W	4000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
865	MAZDA-MGXR2710130W-4K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
866	MAZDA-MGXR2710130W-4K-DC24-WH-10VDIM-A68 X B155MM	30W	4000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
867	MAZDA-MGXR2710130W-4K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
868	MAZDA-MGXR2710130W-4K-DC24-BK-10VDIM-A68 X B155MM	30W	4000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
869	MAZDA-MGXR2710130W-4K-DC24-WH-PH-EM-A68 X B155MM	30W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
870	MAZDA-MGXR2710130W-4K-DC24-WH-PH-A68 X B155MM	30W	4000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
871	MAZDA-MGXR2710130W-4K-DC24-BK-PH-EM-A68 X B155MM	30W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
872	MAZDA-MGXR2710130W-4K-DC24-BK-PH-A68 X B155MM	30W	4000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
873	MAZDA-MGXR2710130W-4K-DC24-WH-DA-EM-A68 X B155MM	30W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
874	MAZDA-MGXR2710130W-4K-DC24-WH-DA-A68 X B155MM	30W	4000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
875	MAZDA-MGXR2710130W-4K-DC24-BK-DA-EM-A68 X B155MM	30W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
876	MAZDA-MGXR2710130W-4K-DC24-BK-DA-A68 X B155MM	30W	4000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
877	MAZDA-MGXR2710130W-4K-DC24-WH-ND-EM-A68 X B155MM	30W	4000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
878	MAZDA-MGXR2710130W-4K-DC24-WH-ND-A68 X B155MM	30W	4000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
879	MAZDA-MGXR2710130W-4K-DC24-BK-ND-EM-A68 X B155MM	30W	4000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
880	MAZDA-MGXR2710130W-4K-DC24-BK-ND-A68 X B155MM	30W	4000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
881	MAZDA-MGXR2710130W-4K-DC12-WH-10VDIM-EM-A68 X B155MM	30W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
882	MAZDA-MGXR2710130W-4K-DC12-WH-10VDIM-A68 X B155MM	30W	4000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
883	MAZDA-MGXR2710130W-4K-DC12-BK-10VDIM-EM-A68 X B155MM	30W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
884	MAZDA-MGXR2710130W-4K-DC12-BK-10VDIM-A68 X B155MM	30W	4000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
885	MAZDA-MGXR2710130W-4K-DC12-WH-PH-EM-A68 X B155MM	30W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
886	MAZDA-MGXR2710130W-4K-DC12-WH-PH-A68 X B155MM	30W	4000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
887	MAZDA-MGXR2710130W-4K-DC12-BK-PH-EM-A68 X B155MM	30W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
888	MAZDA-MGXR2710130W-4K-DC12-BK-PH-A68 X B155MM	30W	4000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
889	MAZDA-MGXR2710130W-4K-DC12-WH-DA-EM-A68 X B155MM	30W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
890	MAZDA-MGXR2710130W-4K-DC12-WH-DA-A68 X B155MM	30W	4000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
891	MAZDA-MGXR2710130W-4K-DC12-BK-DA-EM-A68 X B155MM	30W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
892	MAZDA-MGXR2710130W-4K-DC12-BK-DA-A68 X B155MM	30W	4000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
893	MAZDA-MGXR2710130W-4K-DC12-WH-ND-EM-A68 X B155MM	30W	4000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
894	MAZDA-MGXR2710130W-4K-DC12-WH-ND-A68 X B155MM	30W	4000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
895	MAZDA-MGXR2710130W-4K-DC12-BK-ND-EM-A68 X B155MM	30W	4000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
896	MAZDA-MGXR2710130W-4K-DC12-BK-ND-A68 X B155MM	30W	4000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
897	MAZDA-MGXR2710130W-5K-AC240-WH-10VDIM-EM-A68 X B155MM	30W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
898	MAZDA-MGXR2710130W-5K-AC240-WH-10VDIM-A68 X B155MM	30W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
899	MAZDA-MGXR2710130W-5K-AC240-BK-10VDIM-EM-A68 X B155MM	30W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
900	MAZDA-MGXR2710130W-5K-AC240-BK-10VDIM-A68 X B155MM	30W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
901	MAZDA-MGXR2710130W-5K-AC240-WH-PH-EM-A68 X B155MM	30W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
902	MAZDA-MGXR2710130W-5K-AC240-WH-PH-A68 X B155MM	30W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
903	MAZDA-MGXR2710130W-5K-AC240-BK-PH-EM-A68 X B155MM	30W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
904	MAZDA-MGXR2710130W-5K-AC240-BK-PH-A68 X B155MM	30W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
905	MAZDA-MGXR2710130W-5K-AC240-WH-DA-EM-A68 X B155MM	30W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
906	MAZDA-MGXR2710130W-5K-AC240-WH-DA-A68 X B155MM	30W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
907	MAZDA-MGXR2710130W-5K-AC240-BK-DA-EM-A68 X B155MM	30W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
908	MAZDA-MGXR2710130W-5K-AC240-BK-DA-A68 X B155MM	30W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
909	MAZDA-MGXR2710130W-5K-AC240-WH-ND-EM-A68 X B155MM	30W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
910	MAZDA-MGXR2710130W-5K-AC240-WH-ND-A68 X B155MM	30W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
911	MAZDA-MGXR2710130W-5K-AC240-BK-ND-EM-A68 X B155MM	30W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
912	MAZDA-MGXR2710130W-5K-AC240-BK-ND-A68 X B155MM	30W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
913	MAZDA-MGXR2710130W-5K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
914	MAZDA-MGXR2710130W-5K-DC48-WH-10VDIM-A68 X B155MM	30W	5000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
915	MAZDA-MGXR2710130W-5K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
916	MAZDA-MGXR2710130W-5K-DC48-BK-10VDIM-A68 X B155MM	30W	5000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
917	MAZDA-MGXR2710130W-5K-DC48-WH-PH-EM-A68 X B155MM	30W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
918	MAZDA-MGXR2710130W-5K-DC48-WH-PH-A68 X B155MM	30W	5000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
919	MAZDA-MGXR2710130W-5K-DC48-BK-PH-EM-A68 X B155MM	30W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
920	MAZDA-MGXR2710130W-5K-DC48-BK-PH-A68 X B155MM	30W	5000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
921	MAZDA-MGXR2710130W-5K-DC48-WH-DA-EM-A68 X B155MM	30W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
922	MAZDA-MGXR2710130W-5K-DC48-WH-DA-A68 X B155MM	30W	5000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
923	MAZDA-MGXR2710130W-5K-DC48-BK-DA-EM-A68 X B155MM	30W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
924	MAZDA-MGXR2710130W-5K-DC48-BK-DA-A68 X B155MM	30W	5000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
925	MAZDA-MGXR2710130W-5K-DC48-WH-ND-EM-A68 X B155MM	30W	5000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
926	MAZDA-MGXR2710130W-5K-DC48-WH-ND-A68 X B155MM	30W	5000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
927	MAZDA-MGXR2710130W-5K-DC48-BK-ND-EM-A68 X B155MM	30W	5000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
928	MAZDA-MGXR2710130W-5K-DC48-BK-ND-A68 X B155MM	30W	5000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
929	MAZDA-MGXR2710130W-5K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
930	MAZDA-MGXR2710130W-5K-DC24-WH-10VDIM-A68 X B155MM	30W	5000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
931	MAZDA-MGXR2710130W-5K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
932	MAZDA-MGXR2710130W-5K-DC24-BK-10VDIM-A68 X B155MM	30W	5000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
933	MAZDA-MGXR2710130W-5K-DC24-WH-PH-EM-A68 X B155MM	30W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
934	MAZDA-MGXR2710130W-5K-DC24-WH-PH-A68 X B155MM	30W	5000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
935	MAZDA-MGXR2710130W-5K-DC24-BK-PH-EM-A68 X B155MM	30W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
936	MAZDA-MGXR2710130W-5K-DC24-BK-PH-A68 X B155MM	30W	5000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
937	MAZDA-MGXR2710130W-5K-DC24-WH-DA-EM-A68 X B155MM	30W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
938	MAZDA-MGXR2710130W-5K-DC24-WH-DA-A68 X B155MM	30W	5000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
939	MAZDA-MGXR2710130W-5K-DC24-BK-DA-EM-A68 X B155MM	30W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
940	MAZDA-MGXR2710130W-5K-DC24-BK-DA-A68 X B155MM	30W	5000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
941	MAZDA-MGXR2710130W-5K-DC24-WH-ND-EM-A68 X B155MM	30W	5000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
942	MAZDA-MGXR2710130W-5K-DC24-WH-ND-A68 X B155MM	30W	5000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
943	MAZDA-MGXR2710130W-5K-DC24-BK-ND-EM-A68 X B155MM	30W	5000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
944	MAZDA-MGXR2710130W-5K-DC24-BK-ND-A68 X B155MM	30W	5000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
945	MAZDA-MGXR2710130W-5K-DC12-WH-10VDIM-EM-A68 X B155MM	30W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
946	MAZDA-MGXR2710130W-5K-DC12-WH-10VDIM-A68 X B155MM	30W	5000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
947	MAZDA-MGXR2710130W-5K-DC12-BK-10VDIM-EM-A68 X B155MM	30W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
948	MAZDA-MGXR2710130W-5K-DC12-BK-10VDIM-A68 X B155MM	30W	5000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
949	MAZDA-MGXR2710130W-5K-DC12-WH-PH-EM-A68 X B155MM	30W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
950	MAZDA-MGXR2710130W-5K-DC12-WH-PH-A68 X B155MM	30W	5000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
951	MAZDA-MGXR2710130W-5K-DC12-BK-PH-EM-A68 X B155MM	30W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
952	MAZDA-MGXR2710130W-5K-DC12-BK-PH-A68 X B155MM	30W	5000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
953	MAZDA-MGXR2710130W-5K-DC12-WH-DA-EM-A68 X B155MM	30W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
954	MAZDA-MGXR2710130W-5K-DC12-WH-DA-A68 X B155MM	30W	5000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
955	MAZDA-MGXR2710130W-5K-DC12-BK-DA-EM-A68 X B155MM	30W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
956	MAZDA-MGXR2710130W-5K-DC12-BK-DA-A68 X B155MM	30W	5000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
957	MAZDA-MGXR2710130W-5K-DC12-WH-ND-EM-A68 X B155MM	30W	5000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
958	MAZDA-MGXR2710130W-5K-DC12-WH-ND-A68 X B155MM	30W	5000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
959	MAZDA-MGXR2710130W-5K-DC12-BK-ND-EM-A68 X B155MM	30W	5000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
960	MAZDA-MGXR2710130W-5K-DC12-BK-ND-A68 X B155MM	30W	5000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
961	MAZDA-MGXR2710130W-6K-AC240-WH-10VDIM-EM-A68 X B155MM	30W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
962	MAZDA-MGXR2710130W-6K-AC240-WH-10VDIM-A68 X B155MM	30W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
963	MAZDA-MGXR2710130W-6K-AC240-BK-10VDIM-EM-A68 X B155MM	30W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
964	MAZDA-MGXR2710130W-6K-AC240-BK-10VDIM-A68 X B155MM	30W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
965	MAZDA-MGXR2710130W-6K-AC240-WH-PH-EM-A68 X B155MM	30W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
966	MAZDA-MGXR2710130W-6K-AC240-WH-PH-A68 X B155MM	30W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
967	MAZDA-MGXR2710130W-6K-AC240-BK-PH-EM-A68 X B155MM	30W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
968	MAZDA-MGXR2710130W-6K-AC240-BK-PH-A68 X B155MM	30W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
969	MAZDA-MGXR2710130W-6K-AC240-WH-DA-EM-A68 X B155MM	30W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
970	MAZDA-MGXR2710130W-6K-AC240-WH-DA-A68 X B155MM	30W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
971	MAZDA-MGXR2710130W-6K-AC240-BK-DA-EM-A68 X B155MM	30W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
972	MAZDA-MGXR2710130W-6K-AC240-BK-DA-A68 X B155MM	30W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
973	MAZDA-MGXR2710130W-6K-AC240-WH-ND-EM-A68 X B155MM	30W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
974	MAZDA-MGXR2710130W-6K-AC240-WH-ND-A68 X B155MM	30W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
975	MAZDA-MGXR2710130W-6K-AC240-BK-ND-EM-A68 X B155MM	30W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
976	MAZDA-MGXR2710130W-6K-AC240-BK-ND-A68 X B155MM	30W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
977	MAZDA-MGXR2710130W-6K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
978	MAZDA-MGXR2710130W-6K-DC48-WH-10VDIM-A68 X B155MM	30W	6000	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
979	MAZDA-MGXR2710130W-6K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
980	MAZDA-MGXR2710130W-6K-DC48-BK-10VDIM-A68 X B155MM	30W	6000	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
981	MAZDA-MGXR2710130W-6K-DC48-WH-PH-EM-A68 X B155MM	30W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
982	MAZDA-MGXR2710130W-6K-DC48-WH-PH-A68 X B155MM	30W	6000	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
983	MAZDA-MGXR2710130W-6K-DC48-BK-PH-EM-A68 X B155MM	30W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
984	MAZDA-MGXR2710130W-6K-DC48-BK-PH-A68 X B155MM	30W	6000	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
985	MAZDA-MGXR2710130W-6K-DC48-WH-DA-EM-A68 X B155MM	30W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
986	MAZDA-MGXR2710130W-6K-DC48-WH-DA-A68 X B155MM	30W	6000	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
987	MAZDA-MGXR2710130W-6K-DC48-BK-DA-EM-A68 X B155MM	30W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
988	MAZDA-MGXR2710130W-6K-DC48-BK-DA-A68 X B155MM	30W	6000	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
989	MAZDA-MGXR2710130W-6K-DC48-WH-ND-EM-A68 X B155MM	30W	6000	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
990	MAZDA-MGXR2710130W-6K-DC48-WH-ND-A68 X B155MM	30W	6000	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
991	MAZDA-MGXR2710130W-6K-DC48-BK-ND-EM-A68 X B155MM	30W	6000	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
992	MAZDA-MGXR2710130W-6K-DC48-BK-ND-A68 X B155MM	30W	6000	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
993	MAZDA-MGXR2710130W-6K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
994	MAZDA-MGXR2710130W-6K-DC24-WH-10VDIM-A68 X B155MM	30W	6000	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
995	MAZDA-MGXR2710130W-6K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
996	MAZDA-MGXR2710130W-6K-DC24-BK-10VDIM-A68 X B155MM	30W	6000	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
997	MAZDA-MGXR2710130W-6K-DC24-WH-PH-EM-A68 X B155MM	30W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
998	MAZDA-MGXR2710130W-6K-DC24-WH-PH-A68 X B155MM	30W	6000	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
999	MAZDA-MGXR2710130W-6K-DC24-BK-PH-EM-A68 X B155MM	30W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1000	MAZDA-MGXR2710130W-6K-DC24-BK-PH-A68 X B155MM	30W	6000	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1001	MAZDA-MGXR2710130W-6K-DC24-WH-DA-EM-A68 X B155MM	30W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1002	MAZDA-MGXR2710130W-6K-DC24-WH-DA-A68 X B155MM	30W	6000	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1003	MAZDA-MGXR2710130W-6K-DC24-BK-DA-EM-A68 X B155MM	30W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1004	MAZDA-MGXR2710130W-6K-DC24-BK-DA-A68 X B155MM	30W	6000	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1005	MAZDA-MGXR2710130W-6K-DC24-WH-ND-EM-A68 X B155MM	30W	6000	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1006	MAZDA-MGXR2710130W-6K-DC24-WH-ND-A68 X B155MM	30W	6000	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1007	MAZDA-MGXR2710130W-6K-DC24-BK-ND-EM-A68 X B155MM	30W	6000	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1008	MAZDA-MGXR2710130W-6K-DC24-BK-ND-A68 X B155MM	30W	6000	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1009	MAZDA-MGXR2710130W-6K-DC12-WH-10VDIM-EM-A68 X B155MM	30W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1010	MAZDA-MGXR2710130W-6K-DC12-WH-10VDIM-A68 X B155MM	30W	6000	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1011	MAZDA-MGXR2710130W-6K-DC12-BK-10VDIM-EM-A68 X B155MM	30W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1012	MAZDA-MGXR2710130W-6K-DC12-BK-10VDIM-A68 X B155MM	30W	6000	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1013	MAZDA-MGXR2710130W-6K-DC12-WH-PH-EM-A68 X B155MM	30W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1014	MAZDA-MGXR2710130W-6K-DC12-WH-PH-A68 X B155MM	30W	6000	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1015	MAZDA-MGXR2710130W-6K-DC12-BK-PH-EM-A68 X B155MM	30W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1016	MAZDA-MGXR2710130W-6K-DC12-BK-PH-A68 X B155MM	30W	6000	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1017	MAZDA-MGXR2710130W-6K-DC12-WH-DA-EM-A68 X B155MM	30W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1018	MAZDA-MGXR2710130W-6K-DC12-WH-DA-A68 X B155MM	30W	6000	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1019	MAZDA-MGXR2710130W-6K-DC12-BK-DA-EM-A68 X B155MM	30W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1020	MAZDA-MGXR2710130W-6K-DC12-BK-DA-A68 X B155MM	30W	6000	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1021	MAZDA-MGXR2710130W-6K-DC12-WH-ND-EM-A68 X B155MM	30W	6000	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1022	MAZDA-MGXR2710130W-6K-DC12-WH-ND-A68 X B155MM	30W	6000	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1023	MAZDA-MGXR2710130W-6K-DC12-BK-ND-EM-A68 X B155MM	30W	6000	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1024	MAZDA-MGXR2710130W-6K-DC12-BK-ND-A68 X B155MM	30W	6000	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1025	MAZDA-MGXR2710130W-2.7K-AC240-WH-10VDIM-EM-A68 X B155MM	30W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1026	MAZDA-MGXR2710130W-2.7K-AC240-WH-10VDIM-A68 X B155MM	30W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1027	MAZDA-MGXR2710130W-2.7K-AC240-BK-10VDIM-EM-A68 X B155MM	30W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1028	MAZDA-MGXR2710130W-2.7K-AC240-BK-10VDIM-A68 X B155MM	30W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1029	MAZDA-MGXR2710130W-2.7K-AC240-WH-PH-EM-A68 X B155MM	30W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1030	MAZDA-MGXR2710130W-2.7K-AC240-WH-PH-A68 X B155MM	30W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1031	MAZDA-MGXR2710130W-2.7K-AC240-BK-PH-EM-A68 X B155MM	30W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1032	MAZDA-MGXR2710130W-2.7K-AC240-BK-PH-A68 X B155MM	30W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1033	MAZDA-MGXR2710130W-2.7K-AC240-WH-DA-EM-A68 X B155MM	30W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1034	MAZDA-MGXR2710130W-2.7K-AC240-WH-DA-A68 X B155MM	30W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1035	MAZDA-MGXR2710130W-2.7K-AC240-BK-DA-EM-A68 X B155MM	30W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1036	MAZDA-MGXR2710130W-2.7K-AC240-BK-DA-A68 X B155MM	30W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1037	MAZDA-MGXR2710130W-2.7K-AC240-WH-ND-EM-A68 X B155MM	30W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1038	MAZDA-MGXR2710130W-2.7K-AC240-WH-ND-A68 X B155MM	30W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1039	MAZDA-MGXR2710130W-2.7K-AC240-BK-ND-EM-A68 X B155MM	30W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1040	MAZDA-MGXR2710130W-2.7K-AC240-BK-ND-A68 X B155MM	30W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1041	MAZDA-MGXR2710130W-2.7K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1042	MAZDA-MGXR2710130W-2.7K-DC48-WH-10VDIM-A68 X B155MM	30W	2700	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1043	MAZDA-MGXR2710130W-2.7K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1044	MAZDA-MGXR2710130W-2.7K-DC48-BK-10VDIM-A68 X B155MM	30W	2700	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1045	MAZDA-MGXR2710130W-2.7K-DC48-WH-PH-EM-A68 X B155MM	30W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1046	MAZDA-MGXR2710130W-2.7K-DC48-WH-PH-A68 X B155MM	30W	2700	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1047	MAZDA-MGXR2710130W-2.7K-DC48-BK-PH-EM-A68 X B155MM	30W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1048	MAZDA-MGXR2710130W-2.7K-DC48-BK-PH-A68 X B155MM	30W	2700	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1049	MAZDA-MGXR2710130W-2.7K-DC48-WH-DA-EM-A68 X B155MM	30W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1050	MAZDA-MGXR2710130W-2.7K-DC48-WH-DA-A68 X B155MM	30W	2700	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1051	MAZDA-MGXR2710130W-2.7K-DC48-BK-DA-EM-A68 X B155MM	30W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1052	MAZDA-MGXR2710130W-2.7K-DC48-BK-DA-A68 X B155MM	30W	2700	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1053	MAZDA-MGXR2710130W-2.7K-DC48-WH-ND-EM-A68 X B155MM	30W	2700	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1054	MAZDA-MGXR2710130W-2.7K-DC48-WH-ND-A68 X B155MM	30W	2700	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1055	MAZDA-MGXR2710130W-2.7K-DC48-BK-ND-EM-A68 X B155MM	30W	2700	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1056	MAZDA-MGXR2710130W-2.7K-DC48-BK-ND-A68 X B155MM	30W	2700	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1057	MAZDA-MGXR2710130W-2.7K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1058	MAZDA-MGXR2710130W-2.7K-DC24-WH-10VDIM-A68 X B155MM	30W	2700	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1059	MAZDA-MGXR2710130W-2.7K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1060	MAZDA-MGXR2710130W-2.7K-DC24-BK-10VDIM-A68 X B155MM	30W	2700	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1061	MAZDA-MGXR2710130W-2.7K-DC24-WH-PH-EM-A68 X B155MM	30W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1062	MAZDA-MGXR2710130W-2.7K-DC24-WH-PH-A68 X B155MM	30W	2700	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1063	MAZDA-MGXR2710130W-2.7K-DC24-BK-PH-EM-A68 X B155MM	30W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1064	**MAZDA-MGXR2710130W-2.7K-DC24-BK-PH-A68 X B155MM**	30W	2700	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1065	**MAZDA-MGXR2710130W-2.7K-DC24-WH-DA-EM-A68 X B155MM**	30W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1066	**MAZDA-MGXR2710130W-2.7K-DC24-WH-DA-A68 X B155MM**	30W	2700	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1067	**MAZDA-MGXR2710130W-2.7K-DC24-BK-DA-EM-A68 X B155MM**	30W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1068	**MAZDA-MGXR2710130W-2.7K-DC24-BK-DA-A68 X B155MM**	30W	2700	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1069	**MAZDA-MGXR2710130W-2.7K-DC24-WH-ND-EM-A68 X B155MM**	30W	2700	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1070	**MAZDA-MGXR2710130W-2.7K-DC24-WH-ND-A68 X B155MM**	30W	2700	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1071	**MAZDA-MGXR2710130W-2.7K-DC24-BK-ND-EM-A68 X B155MM**	30W	2700	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1072	**MAZDA-MGXR2710130W-2.7K-DC24-BK-ND-A68 X B155MM**	30W	2700	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1073	**MAZDA-MGXR2710130W-2.7K-DC12-WH-10VDIM-EM-A68 X B155MM**	30W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1074	**MAZDA-MGXR2710130W-2.7K-DC12-WH-10VDIM-A68 X B155MM**	30W	2700	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1075	**MAZDA-MGXR2710130W-2.7K-DC12-BK-10VDIM-EM-A68 X B155MM**	30W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1076	**MAZDA-MGXR2710130W-2.7K-DC12-BK-10VDIM-A68 X B155MM**	30W	2700	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1077	**MAZDA-MGXR2710130W-2.7K-DC12-WH-PH-EM-A68 X B155MM**	30W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1078	**MAZDA-MGXR2710130W-2.7K-DC12-WH-PH-A68 X B155MM**	30W	2700	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1079	**MAZDA-MGXR2710130W-2.7K-DC12-BK-PH-EM-A68 X B155MM**	30W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1080	**MAZDA-MGXR2710130W-2.7K-DC12-BK-PH-A68 X B155MM**	30W	2700	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1081	**MAZDA-MGXR2710130W-2.7K-DC12-WH-DA-EM-A68 X B155MM**	30W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1082	**MAZDA-MGXR2710130W-2.7K-DC12-WH-DA-A68 X B155MM**	30W	2700	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1083	**MAZDA-MGXR2710130W-2.7K-DC12-BK-DA-EM-A68 X B155MM**	30W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1084	**MAZDA-MGXR2710130W-2.7K-DC12-BK-DA-A68 X B155MM**	30W	2700	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1085	**MAZDA-MGXR2710130W-2.7K-DC12-WH-ND-EM-A68 X B155MM**	30W	2700	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1086	**MAZDA-MGXR2710130W-2.7K-DC12-WH-ND-A68 X B155MM**	30W	2700	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1087	**MAZDA-MGXR2710130W-2.7K-DC12-BK-ND-EM-A68 X B155MM**	30W	2700	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1088	**MAZDA-MGXR2710130W-2.7K-DC12-BK-ND-A68 X B155MM**	30W	2700	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1089	**MAZDA-MGXR2710130W-6.5K-AC240-WH-10VDIM-EM-A68 X B155MM**	30W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1090	**MAZDA-MGXR2710130W-6.5K-AC240-WH-10VDIM-A68 X B155MM**	30W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1091	**MAZDA-MGXR2710130W-6.5K-AC240-BK-10VDIM-EM-A68 X B155MM**	30W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1092	**MAZDA-MGXR2710130W-6.5K-AC240-BK-10VDIM-A68 X B155MM**	30W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1093	MAZDA-MGXR2710130W-6.5K-AC240-WH-PH-EM-A68 X B155MM	30W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1094	MAZDA-MGXR2710130W-6.5K-AC240-WH-PH-A68 X B155MM	30W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1095	MAZDA-MGXR2710130W-6.5K-AC240-BK-PH-EM-A68 X B155MM	30W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1096	MAZDA-MGXR2710130W-6.5K-AC240-BK-PH-A68 X B155MM	30W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1097	MAZDA-MGXR2710130W-6.5K-AC240-WH-DA-EM-A68 X B155MM	30W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1098	MAZDA-MGXR2710130W-6.5K-AC240-WH-DA-A68 X B155MM	30W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1099	MAZDA-MGXR2710130W-6.5K-AC240-BK-DA-EM-A68 X B155MM	30W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1100	MAZDA-MGXR2710130W-6.5K-AC240-BK-DA-A68 X B155MM	30W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1101	MAZDA-MGXR2710130W-6.5K-AC240-WH-ND-EM-A68 X B155MM	30W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1102	MAZDA-MGXR2710130W-6.5K-AC240-WH-ND-A68 X B155MM	30W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1103	MAZDA-MGXR2710130W-6.5K-AC240-BK-ND-EM-A68 X B155MM	30W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1104	MAZDA-MGXR2710130W-6.5K-AC240-BK-ND-A68 X B155MM	30W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1105	MAZDA-MGXR2710130W-6.5K-DC48-WH-10VDIM-EM-A68 X B155MM	30W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1106	MAZDA-MGXR2710130W-6.5K-DC48-WH-10VDIM-A68 X B155MM	30W	6500	48VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1107	MAZDA-MGXR2710130W-6.5K-DC48-BK-10VDIM-EM-A68 X B155MM	30W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1108	MAZDA-MGXR2710130W-6.5K-DC48-BK-10VDIM-A68 X B155MM	30W	6500	48VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1109	MAZDA-MGXR2710130W-6.5K-DC48-WH-PH-EM-A68 X B155MM	30W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1110	MAZDA-MGXR2710130W-6.5K-DC48-WH-PH-A68 X B155MM	30W	6500	48VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1111	MAZDA-MGXR2710130W-6.5K-DC48-BK-PH-EM-A68 X B155MM	30W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1112	MAZDA-MGXR2710130W-6.5K-DC48-BK-PH-A68 X B155MM	30W	6500	48VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1113	MAZDA-MGXR2710130W-6.5K-DC48-WH-DA-EM-A68 X B155MM	30W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1114	MAZDA-MGXR2710130W-6.5K-DC48-WH-DA-A68 X B155MM	30W	6500	48VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1115	MAZDA-MGXR2710130W-6.5K-DC48-BK-DA-EM-A68 X B155MM	30W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1116	MAZDA-MGXR2710130W-6.5K-DC48-BK-DA-A68 X B155MM	30W	6500	48VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1117	MAZDA-MGXR2710130W-6.5K-DC48-WH-ND-EM-A68 X B155MM	30W	6500	48VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1118	MAZDA-MGXR2710130W-6.5K-DC48-WH-ND-A68 X B155MM	30W	6500	48VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1119	MAZDA-MGXR2710130W-6.5K-DC48-BK-ND-EM-A68 X B155MM	30W	6500	48VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1120	MAZDA-MGXR2710130W-6.5K-DC48-BK-ND-A68 X B155MM	30W	6500	48VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1121	MAZDA-MGXR2710130W-6.5K-DC24-WH-10VDIM-EM-A68 X B155MM	30W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1122	MAZDA-MGXR2710130W-6.5K-DC24-WH-10VDIM-A68 X B155MM	30W	6500	24VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1123	MAZDA-MGXR2710130W-6.5K-DC24-BK-10VDIM-EM-A68 X B155MM	30W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1124	MAZDA-MGXR2710130W-6.5K-DC24-BK-10VDIM-A68 X B155MM	30W	6500	24VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1125	MAZDA-MGXR2710130W-6.5K-DC24-WH-PH-EM-A68 X B155MM	30W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1126	MAZDA-MGXR2710130W-6.5K-DC24-WH-PH-A68 X B155MM	30W	6500	24VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1127	MAZDA-MGXR2710130W-6.5K-DC24-BK-PH-EM-A68 X B155MM	30W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1128	MAZDA-MGXR2710130W-6.5K-DC24-BK-PH-A68 X B155MM	30W	6500	24VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1129	MAZDA-MGXR2710130W-6.5K-DC24-WH-DA-EM-A68 X B155MM	30W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1130	MAZDA-MGXR2710130W-6.5K-DC24-WH-DA-A68 X B155MM	30W	6500	24VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1131	MAZDA-MGXR2710130W-6.5K-DC24-BK-DA-EM-A68 X B155MM	30W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1132	MAZDA-MGXR2710130W-6.5K-DC24-BK-DA-A68 X B155MM	30W	6500	24VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1133	MAZDA-MGXR2710130W-6.5K-DC24-WH-ND-EM-A68 X B155MM	30W	6500	24VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1134	MAZDA-MGXR2710130W-6.5K-DC24-WH-ND-A68 X B155MM	30W	6500	24VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1135	MAZDA-MGXR2710130W-6.5K-DC24-BK-ND-EM-A68 X B155MM	30W	6500	24VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1136	MAZDA-MGXR2710130W-6.5K-DC24-BK-ND-A68 X B155MM	30W	6500	24VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1137	MAZDA-MGXR2710130W-6.5K-DC12-WH-10VDIM-EM-A68 X B155MM	30W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1138	MAZDA-MGXR2710130W-6.5K-DC12-WH-10VDIM-A68 X B155MM	30W	6500	12VDC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1139	MAZDA-MGXR2710130W-6.5K-DC12-BK-10VDIM-EM-A68 X B155MM	30W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1140	MAZDA-MGXR2710130W-6.5K-DC12-BK-10VDIM-A68 X B155MM	30W	6500	12VDC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1141	MAZDA-MGXR2710130W-6.5K-DC12-WH-PH-EM-A68 X B155MM	30W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1142	MAZDA-MGXR2710130W-6.5K-DC12-WH-PH-A68 X B155MM	30W	6500	12VDC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1143	MAZDA-MGXR2710130W-6.5K-DC12-BK-PH-EM-A68 X B155MM	30W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1144	MAZDA-MGXR2710130W-6.5K-DC12-BK-PH-A68 X B155MM	30W	6500	12VDC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1145	MAZDA-MGXR2710130W-6.5K-DC12-WH-DA-EM-A68 X B155MM	30W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1146	MAZDA-MGXR2710130W-6.5K-DC12-WH-DA-A68 X B155MM	30W	6500	12VDC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1147	MAZDA-MGXR2710130W-6.5K-DC12-BK-DA-EM-A68 X B155MM	30W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1148	MAZDA-MGXR2710130W-6.5K-DC12-BK-DA-A68 X B155MM	30W	6500	12VDC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1149	MAZDA-MGXR2710130W-6.5K-DC12-WH-ND-EM-A68 X B155MM	30W	6500	12VDC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1150	MAZDA-MGXR2710130W-6.5K-DC12-WH-ND-A68 X B155MM	30W	6500	12VDC	WHITE	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1151	**MAZDA-MGXR2710130W-6.5K-DC12-BK-ND-EM-A68 X B155MM**	30W	6500	12VDC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	
1152	**MAZDA-MGXR2710130W-6.5K-DC12-BK-ND-A68 X B155MM**	30W	6500	12VDC	BLACK	NON EMERGENCY	ON - OFF	24	A68 X B155MM	DIE CAST ALUMINUM	44	3600LM	A68 X B155MM	