DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



FILEP

MAZDA Model: SXR1845 Spot Light

Filep LED Spot Light Discreet, curvy & colourful. Filep evokes minimalism, surprise and technology all at once. Subtle curves, slightly revealing colours, high-quality lens and LED. With its deep-recessed and glare-free light source, Astro's clean and seamless execution makes it a quiet, functional observer for high-end residential or hospitality settings. This versatile, elegant architectural spot light will bring pure form, definition and quality light to any space without stealing all the attention.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR184510W-3K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
2	MAZDA-SXR184510W-3K-AC240-WH-10VDIM-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
3	MAZDA-SXR184510W-3K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
4	MAZDA-SXR184510W-3K-AC240-BK-10VDIM-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
5	MAZDA-SXR184510W-3K-AC240-WH-PH-EM-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
6	MAZDA-SXR184510W-3K-AC240-WH-PH-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
7	MAZDA-SXR184510W-3K-AC240-BK-PH-EM-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
8	MAZDA-SXR184510W-3K-AC240-BK-PH-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
9	MAZDA-SXR184510W-3K-AC240-WH-DA-EM-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
10	MAZDA-SXR184510W-3K-AC240-WH-DA-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
11	MAZDA-SXR184510W-3K-AC240-BK-DA-EM-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
12	MAZDA-SXR184510W-3K-AC240-BK-DA-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
13	MAZDA-SXR184510W-3K-AC240-WH-ND-EM-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
14	MAZDA-SXR184510W-3K-AC240-WH-ND-A102 X B97 X C90 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
15	MAZDA-SXR184510W-3K-AC240-BK-ND-EM-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
16	MAZDA-SXR184510W-3K-AC240-BK-ND-A102 X B97 X C90 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
17	MAZDA-SXR184510W-4K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
18	MAZDA-SXR184510W-4K-AC240-WH-10VDIM-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-SXR184510W-4K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
20	MAZDA-SXR184510W-4K-AC240-BK-10VDIM-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
21	MAZDA-SXR184510W-4K-AC240-WH-PH-EM-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
22	MAZDA-SXR184510W-4K-AC240-WH-PH-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
23	MAZDA-SXR184510W-4K-AC240-BK-PH-EM-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
24	MAZDA-SXR184510W-4K-AC240-BK-PH-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
25	MAZDA-SXR184510W-4K-AC240-WH-DA-EM-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
26	MAZDA-SXR184510W-4K-AC240-WH-DA-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
27	MAZDA-SXR184510W-4K-AC240-BK-DA-EM-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
28	MAZDA-SXR184510W-4K-AC240-BK-DA-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
29	MAZDA-SXR184510W-4K-AC240-WH-ND-EM-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
30	MAZDA-SXR184510W-4K-AC240-WH-ND-A102 X B97 X C90 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
31	MAZDA-SXR184510W-4K-AC240-BK-ND-EM-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
32	MAZDA-SXR184510W-4K-AC240-BK-ND-A102 X B97 X C90 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
33	MAZDA-SXR184510W-5K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
34	MAZDA-SXR184510W-5K-AC240-WH-10VDIM-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
35	MAZDA-SXR184510W-5K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
36	MAZDA-SXR184510W-5K-AC240-BK-10VDIM-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
37	MAZDA-SXR184510W-5K-AC240-WH-PH-EM-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
38	MAZDA-SXR184510W-5K-AC240-WH-PH-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
39	MAZDA-SXR184510W-5K-AC240-BK-PH-EM-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
40	MAZDA-SXR184510W-5K-AC240-BK-PH-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
41	MAZDA-SXR184510W-5K-AC240-WH-DA-EM-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
42	MAZDA-SXR184510W-5K-AC240-WH-DA-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
43	MAZDA-SXR184510W-5K-AC240-BK-DA-EM-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
44	MAZDA-SXR184510W-5K-AC240-BK-DA-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
45	MAZDA-SXR184510W-5K-AC240-WH-ND-EM-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
46	MAZDA-SXR184510W-5K-AC240-WH-ND-A102 X B97 X C90 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
47	MAZDA-SXR184510W-5K-AC240-BK-ND-EM-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
48	MAZDA-SXR184510W-5K-AC240-BK-ND-A102 X B97 X C90 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
49	**MAZDA-SXR184510W-6K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
50	**MAZDA-SXR184510W-6K-AC240-WH-10VDIM-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
51	**MAZDA-SXR184510W-6K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
52	**MAZDA-SXR184510W-6K-AC240-BK-10VDIM-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
53	**MAZDA-SXR184510W-6K-AC240-WH-PH-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
54	**MAZDA-SXR184510W-6K-AC240-WH-PH-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
55	**MAZDA-SXR184510W-6K-AC240-BK-PH-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
56	**MAZDA-SXR184510W-6K-AC240-BK-PH-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
57	**MAZDA-SXR184510W-6K-AC240-WH-DA-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
58	**MAZDA-SXR184510W-6K-AC240-WH-DA-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
59	**MAZDA-SXR184510W-6K-AC240-BK-DA-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
60	**MAZDA-SXR184510W-6K-AC240-BK-DA-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
61	**MAZDA-SXR184510W-6K-AC240-WH-ND-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
62	**MAZDA-SXR184510W-6K-AC240-WH-ND-A102 X B97 X C90 MM**	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
63	**MAZDA-SXR184510W-6K-AC240-BK-ND-EM-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
64	**MAZDA-SXR184510W-6K-AC240-BK-ND-A102 X B97 X C90 MM**	10W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
65	**MAZDA-SXR184510W-2.7K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
66	**MAZDA-SXR184510W-2.7K-AC240-WH-10VDIM-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
67	**MAZDA-SXR184510W-2.7K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
68	**MAZDA-SXR184510W-2.7K-AC240-BK-10VDIM-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
69	**MAZDA-SXR184510W-2.7K-AC240-WH-PH-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
70	**MAZDA-SXR184510W-2.7K-AC240-WH-PH-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
71	**MAZDA-SXR184510W-2.7K-AC240-BK-PH-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
72	**MAZDA-SXR184510W-2.7K-AC240-BK-PH-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
73	**MAZDA-SXR184510W-2.7K-AC240-WH-DA-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
74	**MAZDA-SXR184510W-2.7K-AC240-WH-DA-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
75	**MAZDA-SXR184510W-2.7K-AC240-BK-DA-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
76	**MAZDA-SXR184510W-2.7K-AC240-BK-DA-A102 X B97 X C90 MM**	10W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
77	**MAZDA-SXR184510W-2.7K-AC240-WH-ND-EM-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
78	**MAZDA-SXR184510W-2.7K-AC240-WH-ND-A102 X B97 X C90 MM**	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
79	MAZDA-SXR184510W-2.7K-AC240-BK-ND-EM-A102 X B97 X C90 MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
80	MAZDA-SXR184510W-2.7K-AC240-BK-ND-A102 X B97 X C90 MM	10W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
81	MAZDA-SXR184510W-6.5K-AC240-WH-10VDIM-EM-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
82	MAZDA-SXR184510W-6.5K-AC240-WH-10VDIM-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
83	MAZDA-SXR184510W-6.5K-AC240-BK-10VDIM-EM-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
84	MAZDA-SXR184510W-6.5K-AC240-BK-10VDIM-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
85	MAZDA-SXR184510W-6.5K-AC240-WH-PH-EM-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
86	MAZDA-SXR184510W-6.5K-AC240-WH-PH-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
87	MAZDA-SXR184510W-6.5K-AC240-BK-PH-EM-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
88	MAZDA-SXR184510W-6.5K-AC240-BK-PH-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
89	MAZDA-SXR184510W-6.5K-AC240-WH-DA-EM-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
90	MAZDA-SXR184510W-6.5K-AC240-WH-DA-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
91	MAZDA-SXR184510W-6.5K-AC240-BK-DA-EM-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
92	MAZDA-SXR184510W-6.5K-AC240-BK-DA-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
93	MAZDA-SXR184510W-6.5K-AC240-WH-ND-EM-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
94	MAZDA-SXR184510W-6.5K-AC240-WH-ND-A102 X B97 X C90 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
95	MAZDA-SXR184510W-6.5K-AC240-BK-ND-EM-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
96	MAZDA-SXR184510W-6.5K-AC240-BK-ND-A102 X B97 X C90 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B97 X C90 MM	DIE CAST ALUMINUM	65	1200LM	A102 X B97 X C90 MM	
97	MAZDA-SXR184515W-3K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
98	MAZDA-SXR184515W-3K-AC240-WH-10VDIM-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
99	MAZDA-SXR184515W-3K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
100	MAZDA-SXR184515W-3K-AC240-BK-10VDIM-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
101	MAZDA-SXR184515W-3K-AC240-WH-PH-EM-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
102	MAZDA-SXR184515W-3K-AC240-WH-PH-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
103	MAZDA-SXR184515W-3K-AC240-BK-PH-EM-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
104	MAZDA-SXR184515W-3K-AC240-BK-PH-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
105	MAZDA-SXR184515W-3K-AC240-WH-DA-EM-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
106	MAZDA-SXR184515W-3K-AC240-WH-DA-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
107	MAZDA-SXR184515W-3K-AC240-BK-DA-EM-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
108	MAZDA-SXR184515W-3K-AC240-BK-DA-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
109	MAZDA-SXR184515W-3K-AC240-WH-ND-EM-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
110	MAZDA-SXR184515W-3K-AC240-WH-ND-A102 X B118 X C90 MM	15W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
111	MAZDA-SXR184515W-3K-AC240-BK-ND-EM-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
112	MAZDA-SXR184515W-3K-AC240-BK-ND-A102 X B118 X C90 MM	15W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
113	MAZDA-SXR184515W-4K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
114	MAZDA-SXR184515W-4K-AC240-WH-10VDIM-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
115	MAZDA-SXR184515W-4K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
116	MAZDA-SXR184515W-4K-AC240-BK-10VDIM-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
117	MAZDA-SXR184515W-4K-AC240-WH-PH-EM-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
118	MAZDA-SXR184515W-4K-AC240-WH-PH-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
119	MAZDA-SXR184515W-4K-AC240-BK-PH-EM-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
120	MAZDA-SXR184515W-4K-AC240-BK-PH-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
121	MAZDA-SXR184515W-4K-AC240-WH-DA-EM-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
122	MAZDA-SXR184515W-4K-AC240-WH-DA-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
123	MAZDA-SXR184515W-4K-AC240-BK-DA-EM-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
124	MAZDA-SXR184515W-4K-AC240-BK-DA-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
125	MAZDA-SXR184515W-4K-AC240-WH-ND-EM-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
126	MAZDA-SXR184515W-4K-AC240-WH-ND-A102 X B118 X C90 MM	15W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
127	MAZDA-SXR184515W-4K-AC240-BK-ND-EM-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
128	MAZDA-SXR184515W-4K-AC240-BK-ND-A102 X B118 X C90 MM	15W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
129	MAZDA-SXR184515W-5K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
130	MAZDA-SXR184515W-5K-AC240-WH-10VDIM-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
131	MAZDA-SXR184515W-5K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
132	MAZDA-SXR184515W-5K-AC240-BK-10VDIM-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
133	MAZDA-SXR184515W-5K-AC240-WH-PH-EM-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
134	MAZDA-SXR184515W-5K-AC240-WH-PH-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
135	MAZDA-SXR184515W-5K-AC240-BK-PH-EM-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
136	MAZDA-SXR184515W-5K-AC240-BK-PH-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
137	MAZDA-SXR184515W-5K-AC240-WH-DA-EM-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
138	MAZDA-SXR184515W-5K-AC240-WH-DA-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
139	MAZDA-SXR184515W-5K-AC240-BK-DA-EM-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
140	MAZDA-SXR184515W-5K-AC240-BK-DA-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
141	MAZDA-SXR184515W-5K-AC240-WH-ND-EM-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
142	MAZDA-SXR184515W-5K-AC240-WH-ND-A102 X B118 X C90 MM	15W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
143	MAZDA-SXR184515W-5K-AC240-BK-ND-EM-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
144	MAZDA-SXR184515W-5K-AC240-BK-ND-A102 X B118 X C90 MM	15W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
145	MAZDA-SXR184515W-6K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
146	MAZDA-SXR184515W-6K-AC240-WH-10VDIM-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
147	MAZDA-SXR184515W-6K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
148	MAZDA-SXR184515W-6K-AC240-BK-10VDIM-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
149	MAZDA-SXR184515W-6K-AC240-WH-PH-EM-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
150	MAZDA-SXR184515W-6K-AC240-WH-PH-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
151	MAZDA-SXR184515W-6K-AC240-BK-PH-EM-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
152	MAZDA-SXR184515W-6K-AC240-BK-PH-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
153	MAZDA-SXR184515W-6K-AC240-WH-DA-EM-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
154	MAZDA-SXR184515W-6K-AC240-WH-DA-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
155	MAZDA-SXR184515W-6K-AC240-BK-DA-EM-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
156	MAZDA-SXR184515W-6K-AC240-BK-DA-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
157	MAZDA-SXR184515W-6K-AC240-WH-ND-EM-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
158	MAZDA-SXR184515W-6K-AC240-WH-ND-A102 X B118 X C90 MM	15W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
159	MAZDA-SXR184515W-6K-AC240-BK-ND-EM-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
160	MAZDA-SXR184515W-6K-AC240-BK-ND-A102 X B118 X C90 MM	15W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
161	MAZDA-SXR184515W-2.7K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
162	MAZDA-SXR184515W-2.7K-AC240-WH-10VDIM-A102 X B118 X C90 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
163	MAZDA-SXR184515W-2.7K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
164	MAZDA-SXR184515W-2.7K-AC240-BK-10VDIM-A102 X B118 X C90 MM	15W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
165	MAZDA-SXR184515W-2.7K-AC240-WH-PH-EM-A102 X B118 X C90 MM	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
166	MAZDA-SXR184515W-2.7K-AC240-WH-PH-A102 X B118 X C90 MM	15W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
167	**MAZDA-SXR184515W-2.7K-AC240-BK-PH-EM-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
168	**MAZDA-SXR184515W-2.7K-AC240-BK-PH-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
169	**MAZDA-SXR184515W-2.7K-AC240-WH-DA-EM-A102 X B118 X C90 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
170	**MAZDA-SXR184515W-2.7K-AC240-WH-DA-A102 X B118 X C90 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
171	**MAZDA-SXR184515W-2.7K-AC240-BK-DA-EM-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
172	**MAZDA-SXR184515W-2.7K-AC240-BK-DA-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
173	**MAZDA-SXR184515W-2.7K-AC240-WH-ND-EM-A102 X B118 X C90 MM**	15W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
174	**MAZDA-SXR184515W-2.7K-AC240-WH-ND-A102 X B118 X C90 MM**	15W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
175	**MAZDA-SXR184515W-2.7K-AC240-BK-ND-EM-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
176	**MAZDA-SXR184515W-2.7K-AC240-BK-ND-A102 X B118 X C90 MM**	15W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
177	**MAZDA-SXR184515W-6.5K-AC240-WH-10VDIM-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
178	**MAZDA-SXR184515W-6.5K-AC240-WH-10VDIM-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
179	**MAZDA-SXR184515W-6.5K-AC240-BK-10VDIM-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
180	**MAZDA-SXR184515W-6.5K-AC240-BK-10VDIM-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
181	**MAZDA-SXR184515W-6.5K-AC240-WH-PH-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
182	**MAZDA-SXR184515W-6.5K-AC240-WH-PH-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
183	**MAZDA-SXR184515W-6.5K-AC240-BK-PH-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
184	**MAZDA-SXR184515W-6.5K-AC240-BK-PH-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
185	**MAZDA-SXR184515W-6.5K-AC240-WH-DA-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
186	**MAZDA-SXR184515W-6.5K-AC240-WH-DA-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
187	**MAZDA-SXR184515W-6.5K-AC240-BK-DA-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
188	**MAZDA-SXR184515W-6.5K-AC240-BK-DA-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
189	**MAZDA-SXR184515W-6.5K-AC240-WH-ND-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
190	**MAZDA-SXR184515W-6.5K-AC240-WH-ND-A102 X B118 X C90 MM**	15W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
191	**MAZDA-SXR184515W-6.5K-AC240-BK-ND-EM-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	
192	**MAZDA-SXR184515W-6.5K-AC240-BK-ND-A102 X B118 X C90 MM**	15W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A102 X B118 X C90 MM	DIE CAST ALUMINUM	65	1800LM	A102 X B118 X C90 MM	