DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



NYC

MAZDA Model: DXR1715 Spot Light

Nyc LED downlight with traditional deep reflector that provides perfect combination of high lighting efficiency,
comfortable lighting and humanization design, without compromising on lighting performance (color rendering and color uniformity). CCT changeable function is available. It offers a wide choice of options for creating the desired ambience,
housing provides excellent thermal dissipation. LED Module design could save SKU and offer an easy module replacement.
It supports a great compatibility for non- dim, triac dim, 0-10V, DALI dim with worldwide dimmers.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions Price
1	MAZDA-DXR171510W-3K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
2	MAZDA-DXR171510W-3K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
3	MAZDA-DXR171510W-3K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
4	MAZDA-DXR171510W-3K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
5	MAZDA-DXR171510W-3K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
6	MAZDA-DXR171510W-3K-AC240-BK-PH-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
7	MAZDA-DXR171510W-3K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
8	MAZDA-DXR171510W-3K-AC240-WH-PH-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
9	MAZDA-DXR171510W-3K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
10	MAZDA-DXR171510W-3K-AC240-BK-DA-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
11	MAZDA-DXR171510W-3K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
12	MAZDA-DXR171510W-3K-AC240-WH-DA-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
13	MAZDA-DXR171510W-3K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
14	MAZDA-DXR171510W-3K-AC240-BK-ND-A95 X B80 X C54 MM	10W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
15	MAZDA-DXR171510W-3K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
16	MAZDA-DXR171510W-3K-AC240-WH-ND-A95 X B80 X C54 MM	10W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
17	MAZDA-DXR171510W-4K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
18	MAZDA-DXR171510W-4K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM
19	MAZDA-DXR171510W-4K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
20	MAZDA-DXR171510W-4K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
21	MAZDA-DXR171510W-4K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
22	MAZDA-DXR171510W-4K-AC240-BK-PH-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
23	MAZDA-DXR171510W-4K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
24	MAZDA-DXR171510W-4K-AC240-WH-PH-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
25	MAZDA-DXR171510W-4K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
26	MAZDA-DXR171510W-4K-AC240-BK-DA-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
27	MAZDA-DXR171510W-4K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
28	MAZDA-DXR171510W-4K-AC240-WH-DA-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
29	MAZDA-DXR171510W-4K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
30	MAZDA-DXR171510W-4K-AC240-BK-ND-A95 X B80 X C54 MM	10W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
31	MAZDA-DXR171510W-4K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
32	MAZDA-DXR171510W-4K-AC240-WH-ND-A95 X B80 X C54 MM	10W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
33	MAZDA-DXR171510W-5K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
34	MAZDA-DXR171510W-5K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
35	MAZDA-DXR171510W-5K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
36	MAZDA-DXR171510W-5K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
37	MAZDA-DXR171510W-5K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
38	MAZDA-DXR171510W-5K-AC240-BK-PH-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
39	MAZDA-DXR171510W-5K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
40	MAZDA-DXR171510W-5K-AC240-WH-PH-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
41	MAZDA-DXR171510W-5K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
42	MAZDA-DXR171510W-5K-AC240-BK-DA-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
43	MAZDA-DXR171510W-5K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
44	MAZDA-DXR171510W-5K-AC240-WH-DA-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
45	MAZDA-DXR171510W-5K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
46	MAZDA-DXR171510W-5K-AC240-BK-ND-A95 X B80 X C54 MM	10W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
47	MAZDA-DXR171510W-5K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
48	MAZDA-DXR171510W-5K-AC240-WH-ND-A95 X B80 X C54 MM	10W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
49	MAZDA-DXR171510W-6K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
50	MAZDA-DXR171510W-6K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
51	MAZDA-DXR171510W-6K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
52	MAZDA-DXR171510W-6K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
53	MAZDA-DXR171510W-6K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
54	MAZDA-DXR171510W-6K-AC240-BK-PH-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
55	MAZDA-DXR171510W-6K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
56	MAZDA-DXR171510W-6K-AC240-WH-PH-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
57	MAZDA-DXR171510W-6K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
58	MAZDA-DXR171510W-6K-AC240-BK-DA-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
59	MAZDA-DXR171510W-6K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
60	MAZDA-DXR171510W-6K-AC240-WH-DA-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
61	MAZDA-DXR171510W-6K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
62	MAZDA-DXR171510W-6K-AC240-BK-ND-A95 X B80 X C54 MM	10W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
63	MAZDA-DXR171510W-6K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
64	MAZDA-DXR171510W-6K-AC240-WH-ND-A95 X B80 X C54 MM	10W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
65	MAZDA-DXR171510W-2.7K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
66	MAZDA-DXR171510W-2.7K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
67	MAZDA-DXR171510W-2.7K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
68	MAZDA-DXR171510W-2.7K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
69	MAZDA-DXR171510W-2.7K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
70	MAZDA-DXR171510W-2.7K-AC240-BK-PH-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
71	MAZDA-DXR171510W-2.7K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
72	MAZDA-DXR171510W-2.7K-AC240-WH-PH-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
73	MAZDA-DXR171510W-2.7K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
74	MAZDA-DXR171510W-2.7K-AC240-BK-DA-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
75	MAZDA-DXR171510W-2.7K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
76	MAZDA-DXR171510W-2.7K-AC240-WH-DA-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
77	MAZDA-DXR171510W-2.7K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
78	MAZDA-DXR171510W-2.7K-AC240-BK-ND-A95 X B80 X C54 MM	10W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
79	MAZDA-DXR171510W-2.7K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
80	MAZDA-DXR171510W-2.7K-AC240-WH-ND-A95 X B80 X C54 MM	10W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
81	MAZDA-DXR171510W-6.5K-AC240-BK-10VDIM-EM-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
82	MAZDA-DXR171510W-6.5K-AC240-BK-10VDIM-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
83	MAZDA-DXR171510W-6.5K-AC240-WH-10VDIM-EM-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
84	MAZDA-DXR171510W-6.5K-AC240-WH-10VDIM-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
85	MAZDA-DXR171510W-6.5K-AC240-BK-PH-EM-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
86	MAZDA-DXR171510W-6.5K-AC240-BK-PH-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
87	MAZDA-DXR171510W-6.5K-AC240-WH-PH-EM-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
88	MAZDA-DXR171510W-6.5K-AC240-WH-PH-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
89	MAZDA-DXR171510W-6.5K-AC240-BK-DA-EM-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
90	MAZDA-DXR171510W-6.5K-AC240-BK-DA-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
91	MAZDA-DXR171510W-6.5K-AC240-WH-DA-EM-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
92	MAZDA-DXR171510W-6.5K-AC240-WH-DA-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
93	MAZDA-DXR171510W-6.5K-AC240-BK-ND-EM-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
94	MAZDA-DXR171510W-6.5K-AC240-BK-ND-A95 X B80 X C54 MM	10W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
95	MAZDA-DXR171510W-6.5K-AC240-WH-ND-EM-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
96	MAZDA-DXR171510W-6.5K-AC240-WH-ND-A95 X B80 X C54 MM	10W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A95 X B80 X C54 MM	DIE CAST ALUMINUM	54	1200LM	A95 X B80 X C54 MM	
97	MAZDA-DXR171513W-3K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
98	MAZDA-DXR171513W-3K-AC240-BK-10VDIM-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
99	MAZDA-DXR171513W-3K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
100	MAZDA-DXR171513W-3K-AC240-WH-10VDIM-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
101	MAZDA-DXR171513W-3K-AC240-BK-PH-EM-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
102	MAZDA-DXR171513W-3K-AC240-BK-PH-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
103	MAZDA-DXR171513W-3K-AC240-WH-PH-EM-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
104	MAZDA-DXR171513W-3K-AC240-WH-PH-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
105	MAZDA-DXR171513W-3K-AC240-BK-DA-EM-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
106	MAZDA-DXR171513W-3K-AC240-BK-DA-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
107	MAZDA-DXR171513W-3K-AC240-WH-DA-EM-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
108	MAZDA-DXR171513W-3K-AC240-WH-DA-A110 X B86 X C54 MM	13W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
109	MAZDA-DXR171513W-3K-AC240-BK-ND-EM-A110 X B86 X C54 MM	13W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
110	**MAZDA-DXR171513W-3K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
111	**MAZDA-DXR171513W-3K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
112	**MAZDA-DXR171513W-3K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
113	**MAZDA-DXR171513W-4K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
114	**MAZDA-DXR171513W-4K-AC240-BK-10VDIM-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
115	**MAZDA-DXR171513W-4K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
116	**MAZDA-DXR171513W-4K-AC240-WH-10VDIM-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
117	**MAZDA-DXR171513W-4K-AC240-BK-PH-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
118	**MAZDA-DXR171513W-4K-AC240-BK-PH-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
119	**MAZDA-DXR171513W-4K-AC240-WH-PH-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
120	**MAZDA-DXR171513W-4K-AC240-WH-PH-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
121	**MAZDA-DXR171513W-4K-AC240-BK-DA-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
122	**MAZDA-DXR171513W-4K-AC240-BK-DA-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
123	**MAZDA-DXR171513W-4K-AC240-WH-DA-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
124	**MAZDA-DXR171513W-4K-AC240-WH-DA-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
125	**MAZDA-DXR171513W-4K-AC240-BK-ND-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
126	**MAZDA-DXR171513W-4K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
127	**MAZDA-DXR171513W-4K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
128	**MAZDA-DXR171513W-4K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
129	**MAZDA-DXR171513W-5K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
130	**MAZDA-DXR171513W-5K-AC240-BK-10VDIM-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
131	**MAZDA-DXR171513W-5K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
132	**MAZDA-DXR171513W-5K-AC240-WH-10VDIM-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
133	**MAZDA-DXR171513W-5K-AC240-BK-PH-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
134	**MAZDA-DXR171513W-5K-AC240-BK-PH-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
135	**MAZDA-DXR171513W-5K-AC240-WH-PH-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
136	**MAZDA-DXR171513W-5K-AC240-WH-PH-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
137	**MAZDA-DXR171513W-5K-AC240-BK-DA-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
138	**MAZDA-DXR171513W-5K-AC240-BK-DA-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
139	**MAZDA-DXR171513W-5K-AC240-WH-DA-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
140	**MAZDA-DXR171513W-5K-AC240-WH-DA-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
141	**MAZDA-DXR171513W-5K-AC240-BK-ND-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
142	**MAZDA-DXR171513W-5K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
143	**MAZDA-DXR171513W-5K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
144	**MAZDA-DXR171513W-5K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
145	**MAZDA-DXR171513W-6K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
146	**MAZDA-DXR171513W-6K-AC240-BK-10VDIM-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
147	**MAZDA-DXR171513W-6K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
148	**MAZDA-DXR171513W-6K-AC240-WH-10VDIM-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
149	**MAZDA-DXR171513W-6K-AC240-BK-PH-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
150	**MAZDA-DXR171513W-6K-AC240-BK-PH-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
151	**MAZDA-DXR171513W-6K-AC240-WH-PH-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
152	**MAZDA-DXR171513W-6K-AC240-WH-PH-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
153	**MAZDA-DXR171513W-6K-AC240-BK-DA-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
154	**MAZDA-DXR171513W-6K-AC240-BK-DA-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
155	**MAZDA-DXR171513W-6K-AC240-WH-DA-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
156	**MAZDA-DXR171513W-6K-AC240-WH-DA-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
157	**MAZDA-DXR171513W-6K-AC240-BK-ND-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
158	**MAZDA-DXR171513W-6K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
159	**MAZDA-DXR171513W-6K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
160	**MAZDA-DXR171513W-6K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
161	**MAZDA-DXR171513W-2.7K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
162	**MAZDA-DXR171513W-2.7K-AC240-BK-10VDIM-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
163	**MAZDA-DXR171513W-2.7K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
164	**MAZDA-DXR171513W-2.7K-AC240-WH-10VDIM-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
165	**MAZDA-DXR171513W-2.7K-AC240-BK-PH-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
166	**MAZDA-DXR171513W-2.7K-AC240-BK-PH-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
167	**MAZDA-DXR171513W-2.7K-AC240-WH-PH-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
168	**MAZDA-DXR171513W-2.7K-AC240-WH-PH-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
169	**MAZDA-DXR171513W-2.7K-AC240-BK-DA-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
170	**MAZDA-DXR171513W-2.7K-AC240-BK-DA-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
171	**MAZDA-DXR171513W-2.7K-AC240-WH-DA-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
172	**MAZDA-DXR171513W-2.7K-AC240-WH-DA-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
173	**MAZDA-DXR171513W-2.7K-AC240-BK-ND-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
174	**MAZDA-DXR171513W-2.7K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
175	**MAZDA-DXR171513W-2.7K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
176	**MAZDA-DXR171513W-2.7K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
177	**MAZDA-DXR171513W-6.5K-AC240-BK-10VDIM-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
178	**MAZDA-DXR171513W-6.5K-AC240-BK-10VDIM-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
179	**MAZDA-DXR171513W-6.5K-AC240-WH-10VDIM-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
180	**MAZDA-DXR171513W-6.5K-AC240-WH-10VDIM-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
181	**MAZDA-DXR171513W-6.5K-AC240-BK-PH-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
182	**MAZDA-DXR171513W-6.5K-AC240-BK-PH-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
183	**MAZDA-DXR171513W-6.5K-AC240-WH-PH-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
184	**MAZDA-DXR171513W-6.5K-AC240-WH-PH-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
185	**MAZDA-DXR171513W-6.5K-AC240-BK-DA-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
186	**MAZDA-DXR171513W-6.5K-AC240-BK-DA-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
187	**MAZDA-DXR171513W-6.5K-AC240-WH-DA-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
188	**MAZDA-DXR171513W-6.5K-AC240-WH-DA-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
189	**MAZDA-DXR171513W-6.5K-AC240-BK-ND-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
190	**MAZDA-DXR171513W-6.5K-AC240-BK-ND-A110 X B86 X C54 MM**	13W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
191	**MAZDA-DXR171513W-6.5K-AC240-WH-ND-EM-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
192	**MAZDA-DXR171513W-6.5K-AC240-WH-ND-A110 X B86 X C54 MM**	13W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A110 X B86 X C54 MM	DIE CAST ALUMINUM	54	1560LM	A110 X B86 X C54 MM	
193	**MAZDA-DXR171518W-3K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
194	**MAZDA-DXR171518W-3K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
195	**MAZDA-DXR171518W-3K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
196	**MAZDA-DXR171518W-3K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
197	**MAZDA-DXR171518W-3K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
198	**MAZDA-DXR171518W-3K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
199	**MAZDA-DXR171518W-3K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
200	**MAZDA-DXR171518W-3K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
201	**MAZDA-DXR171518W-3K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
202	**MAZDA-DXR171518W-3K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
203	**MAZDA-DXR171518W-3K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
204	**MAZDA-DXR171518W-3K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
205	**MAZDA-DXR171518W-3K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
206	**MAZDA-DXR171518W-3K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
207	**MAZDA-DXR171518W-3K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
208	**MAZDA-DXR171518W-3K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
209	**MAZDA-DXR171518W-4K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
210	**MAZDA-DXR171518W-4K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
211	**MAZDA-DXR171518W-4K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
212	**MAZDA-DXR171518W-4K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
213	**MAZDA-DXR171518W-4K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
214	**MAZDA-DXR171518W-4K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
215	**MAZDA-DXR171518W-4K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
216	**MAZDA-DXR171518W-4K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
217	**MAZDA-DXR171518W-4K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
218	**MAZDA-DXR171518W-4K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
219	**MAZDA-DXR171518W-4K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
220	**MAZDA-DXR171518W-4K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
221	**MAZDA-DXR171518W-4K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
222	**MAZDA-DXR171518W-4K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
223	**MAZDA-DXR171518W-4K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
224	**MAZDA-DXR171518W-4K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
225	**MAZDA-DXR171518W-5K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
226	**MAZDA-DXR171518W-5K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
227	**MAZDA-DXR171518W-5K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
228	**MAZDA-DXR171518W-5K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
229	**MAZDA-DXR171518W-5K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
230	**MAZDA-DXR171518W-5K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
231	**MAZDA-DXR171518W-5K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
232	**MAZDA-DXR171518W-5K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
233	**MAZDA-DXR171518W-5K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
234	**MAZDA-DXR171518W-5K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
235	**MAZDA-DXR171518W-5K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
236	**MAZDA-DXR171518W-5K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
237	**MAZDA-DXR171518W-5K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
238	**MAZDA-DXR171518W-5K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
239	**MAZDA-DXR171518W-5K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
240	**MAZDA-DXR171518W-5K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
241	**MAZDA-DXR171518W-6K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
242	**MAZDA-DXR171518W-6K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
243	**MAZDA-DXR171518W-6K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
244	**MAZDA-DXR171518W-6K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
245	**MAZDA-DXR171518W-6K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
246	**MAZDA-DXR171518W-6K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
247	**MAZDA-DXR171518W-6K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
248	**MAZDA-DXR171518W-6K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
249	**MAZDA-DXR171518W-6K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
250	**MAZDA-DXR171518W-6K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
251	**MAZDA-DXR171518W-6K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
252	**MAZDA-DXR171518W-6K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
253	**MAZDA-DXR171518W-6K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
254	**MAZDA-DXR171518W-6K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
255	**MAZDA-DXR171518W-6K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
256	**MAZDA-DXR171518W-6K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
257	**MAZDA-DXR171518W-2.7K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
258	**MAZDA-DXR171518W-2.7K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
259	**MAZDA-DXR171518W-2.7K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
260	**MAZDA-DXR171518W-2.7K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
261	**MAZDA-DXR171518W-2.7K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
262	**MAZDA-DXR171518W-2.7K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
263	**MAZDA-DXR171518W-2.7K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
264	**MAZDA-DXR171518W-2.7K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
265	**MAZDA-DXR171518W-2.7K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
266	**MAZDA-DXR171518W-2.7K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
267	**MAZDA-DXR171518W-2.7K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
268	**MAZDA-DXR171518W-2.7K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
269	**MAZDA-DXR171518W-2.7K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
270	**MAZDA-DXR171518W-2.7K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
271	**MAZDA-DXR171518W-2.7K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
272	**MAZDA-DXR171518W-2.7K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
273	**MAZDA-DXR171518W-6.5K-AC240-BK-10VDIM-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
274	**MAZDA-DXR171518W-6.5K-AC240-BK-10VDIM-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
275	**MAZDA-DXR171518W-6.5K-AC240-WH-10VDIM-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
276	**MAZDA-DXR171518W-6.5K-AC240-WH-10VDIM-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
277	**MAZDA-DXR171518W-6.5K-AC240-BK-PH-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
278	**MAZDA-DXR171518W-6.5K-AC240-BK-PH-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
279	**MAZDA-DXR171518W-6.5K-AC240-WH-PH-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
280	**MAZDA-DXR171518W-6.5K-AC240-WH-PH-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
281	**MAZDA-DXR171518W-6.5K-AC240-BK-DA-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
282	**MAZDA-DXR171518W-6.5K-AC240-BK-DA-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
283	**MAZDA-DXR171518W-6.5K-AC240-WH-DA-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
284	**MAZDA-DXR171518W-6.5K-AC240-WH-DA-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
285	**MAZDA-DXR171518W-6.5K-AC240-BK-ND-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
286	**MAZDA-DXR171518W-6.5K-AC240-BK-ND-A145 X B120 X C78 MM**	18W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
287	**MAZDA-DXR171518W-6.5K-AC240-WH-ND-EM-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
288	**MAZDA-DXR171518W-6.5K-AC240-WH-ND-A145 X B120 X C78 MM**	18W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A145 X B120 X C78 MM	DIE CAST ALUMINUM	54	2160LM	A145 X B120 X C78 MM	
289	**MAZDA-DXR171525W-3K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
290	**MAZDA-DXR171525W-3K-AC240-BK-10VDIM-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
291	**MAZDA-DXR171525W-3K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
292	**MAZDA-DXR171525W-3K-AC240-WH-10VDIM-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
293	**MAZDA-DXR171525W-3K-AC240-BK-PH-EM-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
294	**MAZDA-DXR171525W-3K-AC240-BK-PH-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
295	**MAZDA-DXR171525W-3K-AC240-WH-PH-EM-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
296	**MAZDA-DXR171525W-3K-AC240-WH-PH-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
297	**MAZDA-DXR171525W-3K-AC240-BK-DA-EM-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
298	**MAZDA-DXR171525W-3K-AC240-BK-DA-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
299	**MAZDA-DXR171525W-3K-AC240-WH-DA-EM-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
300	**MAZDA-DXR171525W-3K-AC240-WH-DA-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
301	**MAZDA-DXR171525W-3K-AC240-BK-ND-EM-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
302	**MAZDA-DXR171525W-3K-AC240-BK-ND-A172 X B145 X C90MM**	25W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
303	**MAZDA-DXR171525W-3K-AC240-WH-ND-EM-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
304	**MAZDA-DXR171525W-3K-AC240-WH-ND-A172 X B145 X C90MM**	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
305	**MAZDA-DXR171525W-4K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
306	**MAZDA-DXR171525W-4K-AC240-BK-10VDIM-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
307	**MAZDA-DXR171525W-4K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
308	**MAZDA-DXR171525W-4K-AC240-WH-10VDIM-A172 X B145 X C90MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
309	**MAZDA-DXR171525W-4K-AC240-BK-PH-EM-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
310	**MAZDA-DXR171525W-4K-AC240-BK-PH-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
311	**MAZDA-DXR171525W-4K-AC240-WH-PH-EM-A172 X B145 X C90MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
312	**MAZDA-DXR171525W-4K-AC240-WH-PH-A172 X B145 X C90MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
313	**MAZDA-DXR171525W-4K-AC240-BK-DA-EM-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
314	**MAZDA-DXR171525W-4K-AC240-BK-DA-A172 X B145 X C90MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
315	**MAZDA-DXR171525W-4K-AC240-WH-DA-EM-A172 X B145 X C90MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
316	MAZDA-DXR171525W-4K-AC240-WH-DA-A172 X B145 X C90MM	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
317	MAZDA-DXR171525W-4K-AC240-BK-ND-EM-A172 X B145 X C90MM	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
318	MAZDA-DXR171525W-4K-AC240-BK-ND-A172 X B145 X C90MM	25W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
319	MAZDA-DXR171525W-4K-AC240-WH-ND-EM-A172 X B145 X C90MM	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
320	MAZDA-DXR171525W-4K-AC240-WH-ND-A172 X B145 X C90MM	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
321	MAZDA-DXR171525W-5K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
322	MAZDA-DXR171525W-5K-AC240-BK-10VDIM-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
323	MAZDA-DXR171525W-5K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
324	MAZDA-DXR171525W-5K-AC240-WH-10VDIM-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
325	MAZDA-DXR171525W-5K-AC240-BK-PH-EM-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
326	MAZDA-DXR171525W-5K-AC240-BK-PH-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
327	MAZDA-DXR171525W-5K-AC240-WH-PH-EM-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
328	MAZDA-DXR171525W-5K-AC240-WH-PH-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
329	MAZDA-DXR171525W-5K-AC240-BK-DA-EM-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
330	MAZDA-DXR171525W-5K-AC240-BK-DA-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
331	MAZDA-DXR171525W-5K-AC240-WH-DA-EM-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
332	MAZDA-DXR171525W-5K-AC240-WH-DA-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
333	MAZDA-DXR171525W-5K-AC240-BK-ND-EM-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
334	MAZDA-DXR171525W-5K-AC240-BK-ND-A172 X B145 X C90MM	25W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
335	MAZDA-DXR171525W-5K-AC240-WH-ND-EM-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
336	MAZDA-DXR171525W-5K-AC240-WH-ND-A172 X B145 X C90MM	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
337	MAZDA-DXR171525W-6K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
338	MAZDA-DXR171525W-6K-AC240-BK-10VDIM-A172 X B145 X C90MM	25W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
339	MAZDA-DXR171525W-6K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
340	MAZDA-DXR171525W-6K-AC240-WH-10VDIM-A172 X B145 X C90MM	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
341	MAZDA-DXR171525W-6K-AC240-BK-PH-EM-A172 X B145 X C90MM	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
342	MAZDA-DXR171525W-6K-AC240-BK-PH-A172 X B145 X C90MM	25W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
343	MAZDA-DXR171525W-6K-AC240-WH-PH-EM-A172 X B145 X C90MM	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
344	MAZDA-DXR171525W-6K-AC240-WH-PH-A172 X B145 X C90MM	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
345	**MAZDA-DXR171525W-6K-AC240-BK-DA-EM-A172 X B145 X C90MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
346	**MAZDA-DXR171525W-6K-AC240-BK-DA-A172 X B145 X C90MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
347	**MAZDA-DXR171525W-6K-AC240-WH-DA-EM-A172 X B145 X C90MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
348	**MAZDA-DXR171525W-6K-AC240-WH-DA-A172 X B145 X C90MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
349	**MAZDA-DXR171525W-6K-AC240-BK-ND-EM-A172 X B145 X C90MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
350	**MAZDA-DXR171525W-6K-AC240-BK-ND-A172 X B145 X C90MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
351	**MAZDA-DXR171525W-6K-AC240-WH-ND-EM-A172 X B145 X C90MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
352	**MAZDA-DXR171525W-6K-AC240-WH-ND-A172 X B145 X C90MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
353	**MAZDA-DXR171525W-2.7K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
354	**MAZDA-DXR171525W-2.7K-AC240-BK-10VDIM-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
355	**MAZDA-DXR171525W-2.7K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
356	**MAZDA-DXR171525W-2.7K-AC240-WH-10VDIM-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
357	**MAZDA-DXR171525W-2.7K-AC240-BK-PH-EM-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
358	**MAZDA-DXR171525W-2.7K-AC240-BK-PH-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
359	**MAZDA-DXR171525W-2.7K-AC240-WH-PH-EM-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
360	**MAZDA-DXR171525W-2.7K-AC240-WH-PH-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
361	**MAZDA-DXR171525W-2.7K-AC240-BK-DA-EM-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
362	**MAZDA-DXR171525W-2.7K-AC240-BK-DA-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
363	**MAZDA-DXR171525W-2.7K-AC240-WH-DA-EM-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
364	**MAZDA-DXR171525W-2.7K-AC240-WH-DA-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
365	**MAZDA-DXR171525W-2.7K-AC240-BK-ND-EM-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
366	**MAZDA-DXR171525W-2.7K-AC240-BK-ND-A172 X B145 X C90MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
367	**MAZDA-DXR171525W-2.7K-AC240-WH-ND-EM-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
368	**MAZDA-DXR171525W-2.7K-AC240-WH-ND-A172 X B145 X C90MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
369	**MAZDA-DXR171525W-6.5K-AC240-BK-10VDIM-EM-A172 X B145 X C90MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
370	**MAZDA-DXR171525W-6.5K-AC240-BK-10VDIM-A172 X B145 X C90MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
371	**MAZDA-DXR171525W-6.5K-AC240-WH-10VDIM-EM-A172 X B145 X C90MM**	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
372	**MAZDA-DXR171525W-6.5K-AC240-WH-10VDIM-A172 X B145 X C90MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
373	**MAZDA-DXR171525W-6.5K-AC240-BK-PH-EM-A172 X B145 X C90MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
374	MAZDA-DXR171525W-6.5K-AC240-BK-PH-A172 X B145 X C90MM	25W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
375	MAZDA-DXR171525W-6.5K-AC240-WH-PH-EM-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
376	MAZDA-DXR171525W-6.5K-AC240-WH-PH-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
377	MAZDA-DXR171525W-6.5K-AC240-BK-DA-EM-A172 X B145 X C90MM	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
378	MAZDA-DXR171525W-6.5K-AC240-BK-DA-A172 X B145 X C90MM	25W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
379	MAZDA-DXR171525W-6.5K-AC240-WH-DA-EM-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
380	MAZDA-DXR171525W-6.5K-AC240-WH-DA-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
381	MAZDA-DXR171525W-6.5K-AC240-BK-ND-EM-A172 X B145 X C90MM	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
382	MAZDA-DXR171525W-6.5K-AC240-BK-ND-A172 X B145 X C90MM	25W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
383	MAZDA-DXR171525W-6.5K-AC240-WH-ND-EM-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
384	MAZDA-DXR171525W-6.5K-AC240-WH-ND-A172 X B145 X C90MM	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A172 X B145 X C90MM	DIE CAST ALUMINUM	54	3000LM	A172 X B145 X C90MM	
385	MAZDA-DXR171525W-3K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
386	MAZDA-DXR171525W-3K-AC240-BK-10VDIM-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
387	MAZDA-DXR171525W-3K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
388	MAZDA-DXR171525W-3K-AC240-WH-10VDIM-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
389	MAZDA-DXR171525W-3K-AC240-BK-PH-EM-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
390	MAZDA-DXR171525W-3K-AC240-BK-PH-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
391	MAZDA-DXR171525W-3K-AC240-WH-PH-EM-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
392	MAZDA-DXR171525W-3K-AC240-WH-PH-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
393	MAZDA-DXR171525W-3K-AC240-BK-DA-EM-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
394	MAZDA-DXR171525W-3K-AC240-BK-DA-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
395	MAZDA-DXR171525W-3K-AC240-WH-DA-EM-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
396	MAZDA-DXR171525W-3K-AC240-WH-DA-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
397	MAZDA-DXR171525W-3K-AC240-BK-ND-EM-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
398	MAZDA-DXR171525W-3K-AC240-BK-ND-A228 X B195 X C99MM	25W	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
399	MAZDA-DXR171525W-3K-AC240-WH-ND-EM-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
400	MAZDA-DXR171525W-3K-AC240-WH-ND-A228 X B195 X C99MM	25W	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
401	MAZDA-DXR171525W-4K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
402	MAZDA-DXR171525W-4K-AC240-BK-10VDIM-A228 X B195 X C99MM	25W	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
403	**MAZDA-DXR171525W-4K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
404	**MAZDA-DXR171525W-4K-AC240-WH-10VDIM-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
405	**MAZDA-DXR171525W-4K-AC240-BK-PH-EM-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
406	**MAZDA-DXR171525W-4K-AC240-BK-PH-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
407	**MAZDA-DXR171525W-4K-AC240-WH-PH-EM-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
408	**MAZDA-DXR171525W-4K-AC240-WH-PH-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
409	**MAZDA-DXR171525W-4K-AC240-BK-DA-EM-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
410	**MAZDA-DXR171525W-4K-AC240-BK-DA-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
411	**MAZDA-DXR171525W-4K-AC240-WH-DA-EM-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
412	**MAZDA-DXR171525W-4K-AC240-WH-DA-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
413	**MAZDA-DXR171525W-4K-AC240-BK-ND-EM-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
414	**MAZDA-DXR171525W-4K-AC240-BK-ND-A228 X B195 X C99MM**	25W	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
415	**MAZDA-DXR171525W-4K-AC240-WH-ND-EM-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
416	**MAZDA-DXR171525W-4K-AC240-WH-ND-A228 X B195 X C99MM**	25W	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
417	**MAZDA-DXR171525W-5K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
418	**MAZDA-DXR171525W-5K-AC240-BK-10VDIM-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
419	**MAZDA-DXR171525W-5K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
420	**MAZDA-DXR171525W-5K-AC240-WH-10VDIM-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
421	**MAZDA-DXR171525W-5K-AC240-BK-PH-EM-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
422	**MAZDA-DXR171525W-5K-AC240-BK-PH-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
423	**MAZDA-DXR171525W-5K-AC240-WH-PH-EM-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
424	**MAZDA-DXR171525W-5K-AC240-WH-PH-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
425	**MAZDA-DXR171525W-5K-AC240-BK-DA-EM-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
426	**MAZDA-DXR171525W-5K-AC240-BK-DA-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
427	**MAZDA-DXR171525W-5K-AC240-WH-DA-EM-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
428	**MAZDA-DXR171525W-5K-AC240-WH-DA-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
429	**MAZDA-DXR171525W-5K-AC240-BK-ND-EM-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
430	**MAZDA-DXR171525W-5K-AC240-BK-ND-A228 X B195 X C99MM**	25W	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
431	**MAZDA-DXR171525W-5K-AC240-WH-ND-EM-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
432	**MAZDA-DXR171525W-5K-AC240-WH-ND-A228 X B195 X C99MM**	25W	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
433	**MAZDA-DXR171525W-6K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
434	**MAZDA-DXR171525W-6K-AC240-BK-10VDIM-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
435	**MAZDA-DXR171525W-6K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
436	**MAZDA-DXR171525W-6K-AC240-WH-10VDIM-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
437	**MAZDA-DXR171525W-6K-AC240-BK-PH-EM-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
438	**MAZDA-DXR171525W-6K-AC240-BK-PH-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
439	**MAZDA-DXR171525W-6K-AC240-WH-PH-EM-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
440	**MAZDA-DXR171525W-6K-AC240-WH-PH-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
441	**MAZDA-DXR171525W-6K-AC240-BK-DA-EM-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
442	**MAZDA-DXR171525W-6K-AC240-BK-DA-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
443	**MAZDA-DXR171525W-6K-AC240-WH-DA-EM-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
444	**MAZDA-DXR171525W-6K-AC240-WH-DA-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
445	**MAZDA-DXR171525W-6K-AC240-BK-ND-EM-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
446	**MAZDA-DXR171525W-6K-AC240-BK-ND-A228 X B195 X C99MM**	25W	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
447	**MAZDA-DXR171525W-6K-AC240-WH-ND-EM-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
448	**MAZDA-DXR171525W-6K-AC240-WH-ND-A228 X B195 X C99MM**	25W	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
449	**MAZDA-DXR171525W-2.7K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
450	**MAZDA-DXR171525W-2.7K-AC240-BK-10VDIM-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
451	**MAZDA-DXR171525W-2.7K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
452	**MAZDA-DXR171525W-2.7K-AC240-WH-10VDIM-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
453	**MAZDA-DXR171525W-2.7K-AC240-BK-PH-EM-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
454	**MAZDA-DXR171525W-2.7K-AC240-BK-PH-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
455	**MAZDA-DXR171525W-2.7K-AC240-WH-PH-EM-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
456	**MAZDA-DXR171525W-2.7K-AC240-WH-PH-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
457	**MAZDA-DXR171525W-2.7K-AC240-BK-DA-EM-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
458	**MAZDA-DXR171525W-2.7K-AC240-BK-DA-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
459	**MAZDA-DXR171525W-2.7K-AC240-WH-DA-EM-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
460	**MAZDA-DXR171525W-2.7K-AC240-WH-DA-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
461	**MAZDA-DXR171525W-2.7K-AC240-BK-ND-EM-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
462	**MAZDA-DXR171525W-2.7K-AC240-BK-ND-A228 X B195 X C99MM**	25W	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
463	**MAZDA-DXR171525W-2.7K-AC240-WH-ND-EM-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
464	**MAZDA-DXR171525W-2.7K-AC240-WH-ND-A228 X B195 X C99MM**	25W	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
465	**MAZDA-DXR171525W-6.5K-AC240-BK-10VDIM-EM-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
466	**MAZDA-DXR171525W-6.5K-AC240-BK-10VDIM-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
467	**MAZDA-DXR171525W-6.5K-AC240-WH-10VDIM-EM-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
468	**MAZDA-DXR171525W-6.5K-AC240-WH-10VDIM-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
469	**MAZDA-DXR171525W-6.5K-AC240-BK-PH-EM-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
470	**MAZDA-DXR171525W-6.5K-AC240-BK-PH-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
471	**MAZDA-DXR171525W-6.5K-AC240-WH-PH-EM-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
472	**MAZDA-DXR171525W-6.5K-AC240-WH-PH-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
473	**MAZDA-DXR171525W-6.5K-AC240-BK-DA-EM-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
474	**MAZDA-DXR171525W-6.5K-AC240-BK-DA-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
475	**MAZDA-DXR171525W-6.5K-AC240-WH-DA-EM-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
476	**MAZDA-DXR171525W-6.5K-AC240-WH-DA-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
477	**MAZDA-DXR171525W-6.5K-AC240-BK-ND-EM-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
478	**MAZDA-DXR171525W-6.5K-AC240-BK-ND-A228 X B195 X C99MM**	25W	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
479	**MAZDA-DXR171525W-6.5K-AC240-WH-ND-EM-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	
480	**MAZDA-DXR171525W-6.5K-AC240-WH-ND-A228 X B195 X C99MM**	25W	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	24	A228 X B195 X C99MM	DIE CAST ALUMINUM	54	3000LM	A228 X B195 X C99MM	