DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

LYLIA

MAZDA Model: UPXR6565 Inground Light

Compact drive-over and walk over inground recessed LED luminaire designed for illuminating building facades, green areas, parks and outdoor facilities. With the use of high-power LEDs, the in-ground light range provides high luminosity at a low power consumption. Adapting a double insulation method, all in-ground lights have an IP67 ranking featuring thick tempered glass. Designed to last in extremely harsh environments

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-UPXR656505W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
2	MAZDA-UPXR656505W-3K-240V-BL-PH-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
3	MAZDA-UPXR656505W-3K-240V-BL-DA-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
4	MAZDA-UPXR656505W-3K-240V-BL-ND-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
5	MAZDA-UPXR656505W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
6	MAZDA-UPXR656505W-4K-240V-BL-PH-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
7	MAZDA-UPXR656505W-4K-240V-BL-DA-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
8	MAZDA-UPXR656505W-4K-240V-BL-ND-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
9	MAZDA-UPXR656505W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
10	MAZDA-UPXR656505W-5K-240V-BL-PH-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
11	MAZDA-UPXR656505W-5K-240V-BL-DA-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
12	MAZDA-UPXR656505W-5K-240V-BL-ND-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
13	MAZDA-UPXR656505W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
14	**MAZDA-UPXR656505W-6K-240V-BL-PH-A95 X B118 X C85 MM**	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
15	**MAZDA-UPXR656505W-6K-240V-BL-DA-A95 X B118 X C85 MM**	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
16	**MAZDA-UPXR656505W-6K-240V-BL-ND-A95 X B118 X C85 MM**	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
17	**MAZDA-UPXR656505W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM**	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
18	**MAZDA-UPXR656505W-2.7K-240V-BL-PH-A95 X B118 X C85 MM**	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
19	**MAZDA-UPXR656505W-2.7K-240V-BL-DA-A95 X B118 X C85 MM**	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
20	**MAZDA-UPXR656505W-2.7K-240V-BL-ND-A95 X B118 X C85 MM**	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
21	**MAZDA-UPXR656505W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM**	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
22	**MAZDA-UPXR656505W-6.5K-240V-BL-PH-A95 X B118 X C85 MM**	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
23	**MAZDA-UPXR656505W-6.5K-240V-BL-DA-A95 X B118 X C85 MM**	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
24	**MAZDA-UPXR656505W-6.5K-240V-BL-ND-A95 X B118 X C85 MM**	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
25	**MAZDA-UPXR656508W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
26	**MAZDA-UPXR656508W-3K-240V-BL-PH-A95 X B118 X C85 MM**	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
27	**MAZDA-UPXR656508W-3K-240V-BL-DA-A95 X B118 X C85 MM**	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
28	**MAZDA-UPXR656508W-3K-240V-BL-ND-A95 X B118 X C85 MM**	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
29	**MAZDA-UPXR656508W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
30	**MAZDA-UPXR656508W-4K-240V-BL-PH-A95 X B118 X C85 MM**	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
31	**MAZDA-UPXR656508W-4K-240V-BL-DA-A95 X B118 X C85 MM**	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
32	**MAZDA-UPXR656508W-4K-240V-BL-ND-A95 X B118 X C85 MM**	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
33	**MAZDA-UPXR656508W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
34	**MAZDA-UPXR656508W-5K-240V-BL-PH-A95 X B118 X C85 MM**	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
35	**MAZDA-UPXR656508W-5K-240V-BL-DA-A95 X B118 X C85 MM**	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
36	**MAZDA-UPXR656508W-5K-240V-BL-ND-A95 X B118 X C85 MM**	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
37	**MAZDA-UPXR656508W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
38	**MAZDA-UPXR656508W-6K-240V-BL-PH-A95 X B118 X C85 MM**	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
39	**MAZDA-UPXR656508W-6K-240V-BL-DA-A95 X B118 X C85 MM**	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
40	**MAZDA-UPXR656508W-6K-240V-BL-ND-A95 X B118 X C85 MM**	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
41	**MAZDA-UPXR656508W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
42	**MAZDA-UPXR656508W-2.7K-240V-BL-PH-A95 X B118 X C85 MM**	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
43	**MAZDA-UPXR656508W-2.7K-240V-BL-DA-A95 X B118 X C85 MM**	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
44	**MAZDA-UPXR656508W-2.7K-240V-BL-ND-A95 X B118 X C85 MM**	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
45	**MAZDA-UPXR656508W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM**	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
46	**MAZDA-UPXR656508W-6.5K-240V-BL-PH-A95 X B118 X C85 MM**	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
47	**MAZDA-UPXR656508W-6.5K-240V-BL-DA-A95 X B118 X C85 MM**	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
48	**MAZDA-UPXR656508W-6.5K-240V-BL-ND-A95 X B118 X C85 MM**	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
49	**MAZDA-UPXR656512W-3K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
50	**MAZDA-UPXR656512W-3K-240V-BL-PH-A160 X B156 X C147 MM**	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
51	**MAZDA-UPXR656512W-3K-240V-BL-DA-A160 X B156 X C147 MM**	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
52	**MAZDA-UPXR656512W-3K-240V-BL-ND-A160 X B156 X C147 MM**	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
53	**MAZDA-UPXR656512W-4K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
54	**MAZDA-UPXR656512W-4K-240V-BL-PH-A160 X B156 X C147 MM**	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
55	**MAZDA-UPXR656512W-4K-240V-BL-DA-A160 X B156 X C147 MM**	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
56	**MAZDA-UPXR656512W-4K-240V-BL-ND-A160 X B156 X C147 MM**	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
57	**MAZDA-UPXR656512W-5K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
58	**MAZDA-UPXR656512W-5K-240V-BL-PH-A160 X B156 X C147 MM**	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
59	**MAZDA-UPXR656512W-5K-240V-BL-DA-A160 X B156 X C147 MM**	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
60	**MAZDA-UPXR656512W-5K-240V-BL-ND-A160 X B156 X C147 MM**	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
61	**MAZDA-UPXR656512W-6K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
62	**MAZDA-UPXR656512W-6K-240V-BL-PH-A160 X B156 X C147 MM**	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
63	**MAZDA-UPXR656512W-6K-240V-BL-DA-A160 X B156 X C147 MM**	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
64	**MAZDA-UPXR656512W-6K-240V-BL-ND-A160 X B156 X C147 MM**	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
65	**MAZDA-UPXR656512W-2.7K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
66	**MAZDA-UPXR656512W-2.7K-240V-BL-PH-A160 X B156 X C147 MM**	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
67	**MAZDA-UPXR656512W-2.7K-240V-BL-DA-A160 X B156 X C147 MM**	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
68	**MAZDA-UPXR656512W-2.7K-240V-BL-ND-A160 X B156 X C147 MM**	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
69	**MAZDA-UPXR656512W-6.5K-240V-BL-10VDIM-A160 X B156 X C147 MM**	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
70	**MAZDA-UPXR656512W-6.5K-240V-BL-PH-A160 X B156 X C147 MM**	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
71	**MAZDA-UPXR656512W-6.5K-240V-BL-DA-A160 X B156 X C147 MM**	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
72	**MAZDA-UPXR656512W-6.5K-240V-BL-ND-A160 X B156 X C147 MM**	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM
73	**MAZDA-UPXR656518W-3K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM
74	**MAZDA-UPXR656518W-3K-240V-BL-PH-A180 X B168 X C165 MM**	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM
75	**MAZDA-UPXR656518W-3K-240V-BL-DA-A180 X B168 X C165 MM**	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM
76	**MAZDA-UPXR656518W-3K-240V-BL-ND-A180 X B168 X C165 MM**	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
77	**MAZDA-UPXR656518W-4K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
78	**MAZDA-UPXR656518W-4K-240V-BL-PH-A180 X B168 X C165 MM**	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
79	**MAZDA-UPXR656518W-4K-240V-BL-DA-A180 X B168 X C165 MM**	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
80	**MAZDA-UPXR656518W-4K-240V-BL-ND-A180 X B168 X C165 MM**	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
81	**MAZDA-UPXR656518W-5K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
82	**MAZDA-UPXR656518W-5K-240V-BL-PH-A180 X B168 X C165 MM**	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
83	**MAZDA-UPXR656518W-5K-240V-BL-DA-A180 X B168 X C165 MM**	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
84	**MAZDA-UPXR656518W-5K-240V-BL-ND-A180 X B168 X C165 MM**	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
85	**MAZDA-UPXR656518W-6K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
86	**MAZDA-UPXR656518W-6K-240V-BL-PH-A180 X B168 X C165 MM**	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
87	**MAZDA-UPXR656518W-6K-240V-BL-DA-A180 X B168 X C165 MM**	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
88	**MAZDA-UPXR656518W-6K-240V-BL-ND-A180 X B168 X C165 MM**	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
89	**MAZDA-UPXR656518W-2.7K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
90	**MAZDA-UPXR656518W-2.7K-240V-BL-PH-A180 X B168 X C165 MM**	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
91	**MAZDA-UPXR656518W-2.7K-240V-BL-DA-A180 X B168 X C165 MM**	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
92	**MAZDA-UPXR656518W-2.7K-240V-BL-ND-A180 X B168 X C165 MM**	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
93	**MAZDA-UPXR656518W-6.5K-240V-BL-10VDIM-A180 X B168 X C165 MM**	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
94	**MAZDA-UPXR656518W-6.5K-240V-BL-PH-A180 X B168 X C165 MM**	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
95	**MAZDA-UPXR656518W-6.5K-240V-BL-DA-A180 X B168 X C165 MM**	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
96	**MAZDA-UPXR656518W-6.5K-240V-BL-ND-A180 X B168 X C165 MM**	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
97	**MAZDA-UPXR656525W-3K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
98	**MAZDA-UPXR656525W-3K-240V-BL-PH-A210 X B194 X C193 MM**	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
99	**MAZDA-UPXR656525W-3K-240V-BL-DA-A210 X B194 X C193 MM**	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
100	**MAZDA-UPXR656525W-3K-240V-BL-ND-A210 X B194 X C193 MM**	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
101	**MAZDA-UPXR656525W-4K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
102	**MAZDA-UPXR656525W-4K-240V-BL-PH-A210 X B194 X C193 MM**	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
103	**MAZDA-UPXR656525W-4K-240V-BL-DA-A210 X B194 X C193 MM**	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
104	**MAZDA-UPXR656525W-4K-240V-BL-ND-A210 X B194 X C193 MM**	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
105	**MAZDA-UPXR656525W-5K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
106	**MAZDA-UPXR656525W-5K-240V-BL-PH-A210 X B194 X C193 MM**	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
107	**MAZDA-UPXR656525W-5K-240V-BL-DA-A210 X B194 X C193 MM**	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
108	**MAZDA-UPXR656525W-5K-240V-BL-ND-A210 X B194 X C193 MM**	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
109	**MAZDA-UPXR656525W-6K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
110	**MAZDA-UPXR656525W-6K-240V-BL-PH-A210 X B194 X C193 MM**	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
111	**MAZDA-UPXR656525W-6K-240V-BL-DA-A210 X B194 X C193 MM**	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
112	**MAZDA-UPXR656525W-6K-240V-BL-ND-A210 X B194 X C193 MM**	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
113	**MAZDA-UPXR656525W-2.7K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
114	**MAZDA-UPXR656525W-2.7K-240V-BL-PH-A210 X B194 X C193 MM**	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
115	**MAZDA-UPXR656525W-2.7K-240V-BL-DA-A210 X B194 X C193 MM**	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
116	**MAZDA-UPXR656525W-2.7K-240V-BL-ND-A210 X B194 X C193 MM**	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
117	**MAZDA-UPXR656525W-6.5K-240V-BL-10VDIM-A210 X B194 X C193 MM**	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
118	**MAZDA-UPXR656525W-6.5K-240V-BL-PH-A210 X B194 X C193 MM**	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
119	**MAZDA-UPXR656525W-6.5K-240V-BL-DA-A210 X B194 X C193 MM**	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
120	**MAZDA-UPXR656525W-6.5K-240V-BL-ND-A210 X B194 X C193 MM**	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
121	**MAZDA-UPXR656536W-3K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
122	**MAZDA-UPXR656536W-3K-240V-BL-PH-A250 X B212 X C223 MM**	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
123	**MAZDA-UPXR656536W-3K-240V-BL-DA-A250 X B212 X C223 MM**	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
124	**MAZDA-UPXR656536W-3K-240V-BL-ND-A250 X B212 X C223 MM**	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
125	**MAZDA-UPXR656536W-4K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
126	**MAZDA-UPXR656536W-4K-240V-BL-PH-A250 X B212 X C223 MM**	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
127	**MAZDA-UPXR656536W-4K-240V-BL-DA-A250 X B212 X C223 MM**	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
128	**MAZDA-UPXR656536W-4K-240V-BL-ND-A250 X B212 X C223 MM**	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
129	**MAZDA-UPXR656536W-5K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
130	**MAZDA-UPXR656536W-5K-240V-BL-PH-A250 X B212 X C223 MM**	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
131	**MAZDA-UPXR656536W-5K-240V-BL-DA-A250 X B212 X C223 MM**	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
132	**MAZDA-UPXR656536W-5K-240V-BL-ND-A250 X B212 X C223 MM**	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
133	**MAZDA-UPXR656536W-6K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
134	**MAZDA-UPXR656536W-6K-240V-BL-PH-A250 X B212 X C223 MM**	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
135	**MAZDA-UPXR656536W-6K-240V-BL-DA-A250 X B212 X C223 MM**	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
136	**MAZDA-UPXR656536W-6K-240V-BL-ND-A250 X B212 X C223 MM**	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
137	**MAZDA-UPXR656536W-2.7K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
138	**MAZDA-UPXR656536W-2.7K-240V-BL-PH-A250 X B212 X C223 MM**	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
139	**MAZDA-UPXR656536W-2.7K-240V-BL-DA-A250 X B212 X C223 MM**	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	**MAZDA-UPXR656536W-2.7K-240V-BL-ND-A250 X B212 X C223 MM**	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
141	**MAZDA-UPXR656536W-6.5K-240V-BL-10VDIM-A250 X B212 X C223 MM**	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
142	**MAZDA-UPXR656536W-6.5K-240V-BL-PH-A250 X B212 X C223 MM**	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
143	**MAZDA-UPXR656536W-6.5K-240V-BL-DA-A250 X B212 X C223 MM**	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
144	**MAZDA-UPXR656536W-6.5K-240V-BL-ND-A250 X B212 X C223 MM**	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	