DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

HORAE

MAZDA Model: UPXR7018 Inground Light

Luminaire for floor/ground and ceiling installation, fixed, single adjustable versions for different applications, lighting head can be mechanically adjusted without opening the luminaire, high level of flexibility in terms of lighting control, very low glare rating. Highly resitance in marine environment. Solar Energy. Round solar pannel with 4V/110mA output and size external diameter 100mm,and internal diameter 40mm

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-UPXR701801W-3K-240V-BL-10VDIM-A150 X B50 X C138 MM	01W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
2	MAZDA-UPXR701801W-3K-240V-BL-PH-A150 X B50 X C138 MM	01W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
3	MAZDA-UPXR701801W-3K-240V-BL-DA-A150 X B50 X C138 MM	01W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
4	MAZDA-UPXR701801W-3K-240V-BL-ND-A150 X B50 X C138 MM	01W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
5	MAZDA-UPXR701801W-4K-240V-BL-10VDIM-A150 X B50 X C138 MM	01W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
6	MAZDA-UPXR701801W-4K-240V-BL-PH-A150 X B50 X C138 MM	01W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
7	MAZDA-UPXR701801W-4K-240V-BL-DA-A150 X B50 X C138 MM	01W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
8	MAZDA-UPXR701801W-4K-240V-BL-ND-A150 X B50 X C138 MM	01W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
9	MAZDA-UPXR701801W-5K-240V-BL-10VDIM-A150 X B50 X C138 MM	01W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
10	MAZDA-UPXR701801W-5K-240V-BL-PH-A150 X B50 X C138 MM	01W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
11	MAZDA-UPXR701801W-5K-240V-BL-DA-A150 X B50 X C138 MM	01W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
12	MAZDA-UPXR701801W-5K-240V-BL-ND-A150 X B50 X C138 MM	01W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
13	MAZDA-UPXR701801W-6K-240V-BL-10VDIM-A150 X B50 X C138 MM	01W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
14	MAZDA-UPXR701801W-6K-240V-BL-PH-A150 X B50 X C138 MM	01W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
15	MAZDA-UPXR701801W-6K-240V-BL-DA-A150 X B50 X C138 MM	01W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
16	MAZDA-UPXR701801W-6K-240V-BL-ND-A150 X B50 X C138 MM	01W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM
17	MAZDA-UPXR701801W-2.7K-240V-BL-10VDIM-A150 X B50 X C138 MM	01W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM

DATASHEET

GENERATED ON: 11 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	**MAZDA-UPXR701801W-2.7K-240V-BL-PH-A150 X B50 X C138 MM**	01W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
19	**MAZDA-UPXR701801W-2.7K-240V-BL-DA-A150 X B50 X C138 MM**	01W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
20	**MAZDA-UPXR701801W-2.7K-240V-BL-ND-A150 X B50 X C138 MM**	01W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
21	**MAZDA-UPXR701801W-6.5K-240V-BL-10VDIM-A150 X B50 X C138 MM**	01W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
22	**MAZDA-UPXR701801W-6.5K-240V-BL-PH-A150 X B50 X C138 MM**	01W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
23	**MAZDA-UPXR701801W-6.5K-240V-BL-DA-A150 X B50 X C138 MM**	01W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
24	**MAZDA-UPXR701801W-6.5K-240V-BL-ND-A150 X B50 X C138 MM**	01W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
25	**MAZDA-UPXR701803W-3K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
26	**MAZDA-UPXR701803W-3K-240V-BL-PH-A150 X B50 X C138 MM**	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
27	**MAZDA-UPXR701803W-3K-240V-BL-DA-A150 X B50 X C138 MM**	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
28	**MAZDA-UPXR701803W-3K-240V-BL-ND-A150 X B50 X C138 MM**	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
29	**MAZDA-UPXR701803W-4K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
30	**MAZDA-UPXR701803W-4K-240V-BL-PH-A150 X B50 X C138 MM**	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
31	**MAZDA-UPXR701803W-4K-240V-BL-DA-A150 X B50 X C138 MM**	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
32	**MAZDA-UPXR701803W-4K-240V-BL-ND-A150 X B50 X C138 MM**	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
33	**MAZDA-UPXR701803W-5K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
34	**MAZDA-UPXR701803W-5K-240V-BL-PH-A150 X B50 X C138 MM**	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
35	**MAZDA-UPXR701803W-5K-240V-BL-DA-A150 X B50 X C138 MM**	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
36	**MAZDA-UPXR701803W-5K-240V-BL-ND-A150 X B50 X C138 MM**	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
37	**MAZDA-UPXR701803W-6K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
38	**MAZDA-UPXR701803W-6K-240V-BL-PH-A150 X B50 X C138 MM**	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
39	**MAZDA-UPXR701803W-6K-240V-BL-DA-A150 X B50 X C138 MM**	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
40	**MAZDA-UPXR701803W-6K-240V-BL-ND-A150 X B50 X C138 MM**	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
41	**MAZDA-UPXR701803W-2.7K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
42	**MAZDA-UPXR701803W-2.7K-240V-BL-PH-A150 X B50 X C138 MM**	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
43	**MAZDA-UPXR701803W-2.7K-240V-BL-DA-A150 X B50 X C138 MM**	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
44	**MAZDA-UPXR701803W-2.7K-240V-BL-ND-A150 X B50 X C138 MM**	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
45	**MAZDA-UPXR701803W-6.5K-240V-BL-10VDIM-A150 X B50 X C138 MM**	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	**MAZDA-UPXR701803W-6.5K-240V-BL-PH-A150 X B50 X C138 MM**	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
47	**MAZDA-UPXR701803W-6.5K-240V-BL-DA-A150 X B50 X C138 MM**	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	
48	**MAZDA-UPXR701803W-6.5K-240V-BL-ND-A150 X B50 X C138 MM**	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	120	A150 X B50 X C138 MM	DIE CAST ALUMINUM	IP68	A150 X B50 X C138 MM	